Behavioral Risk Factor Surveillance System

Codebook Report

for ARIZONA

2002



State FIPS Code

Section: 0.01 Record Identification Type: ID Field

Column: 1-2 SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

ValueValue LabelFrequencyPercentageWeighted Percentage4Arizona3,227100.00100.00

Geographic Stratum Code

Section: 0.02 Record Identification Type: ID Field

Column: 3-4 SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Notes: For states with geographic stratification, strata should be numbered sequentially (with no gaps) starting with number 1. Otherwise geographic stratification = 1 .	849	26.31	59.93
2		726	22.50	16.58
3		574	17.79	4.83
4		546	16.92	8.30
5		532	16.49	10.36

Household Density Stratum Code

Section: 0.03 Record Identification Type: ID Field

Column: 5 SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Percentage
1	Listed	2,205	68.33	52.38
2	Unlisted	1,004	31.11	45.45
3	Zero block	18	0.56	2.17

Majahtad

Pre-Call Status Code

Section: 0.05 Record Identification Type: ID Field

Column: 7 SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

Value Value Label Weighted Frequency Percentage Percentage

1 To be called 3,227 100.00 100.00

Replicate Number

Section: 0.06 Record Identification Type: ID Field

Column: 8-12 SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

Value Value Label Weighted Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Replicate Depth

Section: 0.07 Record Identification Type: ID Field

Column: 13-14 SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value Value Label Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

File Month

Section: 0.08 Record Identification Type: ID Field

Column: 15-16 SAS Variable Name: FMONTH

Prologue:

Description: File Month

Weighted
Value Value Label Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Interview Date

Section: 0.09 Record Identification Type: ID Field

Column: 17-24 SAS Variable Name: IDATE

Prologue:

Description:

Value Value Label Weighted
Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Interview Month

Section: 0.10 Record Identification Type: ID Field

Column: 17-18 SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequenc	y Percentage	Weighted Percentage
1	January	319	9.89	10.27
2	February	272	8.43	8.67
3	March	296	9.17	9.30
4	April	288	8.92	9.42
5	May	315	9.76	8.85
6	June	298	9.23	8.17
7	July	271	8.40	7.92
8	August	260	8.06	8.09
9	September	210	6.51	6.83
10	October	213	6.60	8.68
11	November	187	5.79	5.94
12	December	298	9.23	7.85

Interview Day

Section: 0.11 Record Identification Type: ID Field

Column: 19-20 SAS Variable Name: IDAY

Prologue:

Description: Interview Day

				Maria de la colo
Value	Value Label	Frequency	Percentage	Weighted Percentage
1		85	2.63	3.58
2		158	4.90	6.25
3		223	6.91	6.51
4		173	5.36	4.88
5		163	5.05	4.66
6		117	3.63	4.09
7		199	6.17	6.11
8		151	4.68	4.06
9		175	5.42	5.25
10		126	3.90	3.46
11		125	3.87	3.56
12		159	4.93	5.08
13		141	4.37	4.33
14		130	4.03	3.86
15		125	3.87	3.95
16		86	2.67	2.55
17		103	3.19	3.03
18		66	2.05	1.88
19		97	3.01	2.96
20		59	1.83	2.08
21		49	1.52	1.77
22		56	1.74	2.15
23		64	1.98	2.30
24		55	1.70	1.45
25		38	1.18	1.19
26		79	2.45	1.97
27		51	1.58	1.51
28		53	1.64	1.52
29		41	1.27	1.24
30		65	2.01	2.20
31		15	0.46	0.55

Interview Year

Section: 0.12 Record Identification Type: ID Field

Column: 21-24 SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value Value Label Weighted Frequency Percentage Percentage

3,227 100.00 100.00

Interviewer Identification

Section: 0.13 Record Identification Type: ID Field

Column: 25-27 SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value Value Label Weighted

Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Final Disposition

Section: 0.18 Record Identification Type: ID Field

Column: 36-38 SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	3,068	95.07	94.63
120	Partial Complete Interview	159	4.93	5.37

Annual Sequence Number

Section: 0.19 Record Identification Type: ID Field

Column: 39-48 SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value Value Label Weighted Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00 Notes: Value should be unique for a state for a year.

Annual Sequence Number

Section: 0.19 Record Identification Type: ID Field

Column: 39-48 SAS Variable Name: _PSU

Prologue:

Description: Annual Sequence Number

Value Value Label Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Number of Attempts

Section: 0.21 Record Identification Type: ID Field

Column: 49-50 SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value Value Label Weighted

Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Number of Sample Records Selected from Stratum

Section: 0.22 Record Identification Type: ID Field

Column: 51-56 SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value Value Label Weighted Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.23 Record Identification Type: ID Field

Column: 57-65 SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value Value Label Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Correct telephone number?

Section: 0.24 Record Identification Type: ID Field

Column: 66 SAS Variable Name: CTELENUM

Prologue:

Description: Correct Telephone Number?

Value Value Label Weighted
Frequency Percentage Percentage

1 Yes 3,227 100.00 100.00

Private Residence?

Section: 0.25 Record Identification Type: ID Field

Column: 67 SAS Variable Name: PVTRESID

Prologue:

Description: Private Residence?

ValueValue LabelFrequencyPercentageWeighted Percentage1Yes3,227100.00100.00

Number of Adults in Household

Section: 0.26 Record Identification Type: ID Field

Column: 68-69 SAS Variable Name: NUMADULT

Prologue:

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	1,134	35.14	20.79
2		1,715	53.15	56.00
3		279	8.65	14.93
4		66	2.05	4.67
5		24	0.74	2.01
6 - 18		9	0.28	1.61

Number of Adult men in Household

Section: 0.27 Record Identification Type: ID Field

Column: 70 SAS Variable Name: NUMMEN

Prologue:

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0		833	25.81	14.69
1		2,123	65.79	66.74
2		235	7.28	14.12
3		25	0.77	1.94
4		8	0.25	2.08
5		3	0.09	0.45

Number of Adult women in Household

Section: 0.28 Record Identification Type: ID Field

Column: 71 SAS Variable Name: NUMWOMEN

Prologue:

Description: Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0		466	14.44	13.46
1		2,453	76.01	71.69
2		259	8.03	11.11
3		37	1.15	2.15
4		9	0.28	1.48
5		3	0.09	0.12

General Health

Section: 1.01 Health Status Type: Question

Column: 72 **SAS Variable Name: GENHLTH**

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	711	22.03	22.07
2	Very good	1,068	33.10	34.35
3	Good	900	27.89	27.66
4	Fair	356	11.03	10.28
5	Poor	166	5.14	4.69
7	Do not know/Not Sure	18	0.56	0.62
9	Refused	8	0.25	0.32

Have any health care coverage

Section: 2.01 Health Care Access Type: Question

SAS Variable Name: HLTHPLAN Column: 73

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,749	85.19	83.57
2	No	469	14.53	16.08
7	Do not know/Not Sure	9	0.28	0.35

Multiple Health Care Professionals

Section: 2.02 Health Care Access Type: Question

Column: 74 SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No"

ask "Is there more than one or is there no person who you think of?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	2,258	69.97	69.03
2	More than one	305	9.45	8.43
3	No	656	20.33	22.32
7	Do not know/Not Sure	8	0.25	0.22

Place You Go most Often When Sick or Need Advice

Section: 2.03 Health Care Access Type: Question

Column: 75 SAS Variable Name: FACILIT3

Prologue:

Description: When you are sick or need advice about your health, to which one of the following places do you

usually go?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctors office	2,357	73.04	71.05
2	A public health clinic or community health center	191	5.92	5.29
3	A hospital outpatient department	70	2.17	1.59
4	A hospital emergency room	103	3.19	4.01
5	Urgent care center	111	3.44	3.97
6	Some other kind of place	116	3.59	4.01
7	Do not know/Not sure	29	0.90	0.74
8	No usual place	246	7.62	9.22
9	Refused	4	0.12	0.12

No Medical Care past 12 months

Section: 2.04 Health Care Access Type: Question

Column: 76 SAS Variable Name: MEDCARE

Prologue:

Description: Was there a time in the past 12 months when you needed medical care, but could not get it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Section 2.05 MEDREAS	263	8.15	8.11
2	No - Go to Section 3.01 EXERANY2	2,954	91.54	91.77
7	Do not know/Not sure - Go to Section 3.01 EXERANY2	10	0.31	0.12

Main Reason did not get Medical Care

Section: 2.05 Health Care Access Type: Question

Column: 77-78 SAS Variable Name: MEDREAS

Prologue:

Description: What is the main reason you did not get medical care? [Note: If more than one instance ask

about the most recent.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cost [Include no insurance]	138	52.47	54.05
2	Distance	5	1.90	1.42
3	Office was not open when I could get there	7	2.66	1.38
4	Too long a wait for an appointment	32	12.17	9.09
5	Too long a wait in waiting room	11	4.18	5.14
6	No child care	1	0.38	0.44
7	No transportation	5	1.90	1.66
10	Other	59	22.43	25.90
77	Do not know/Not sure	5	1.90	0.92
BLANK	Not asked or Missing Notes: Section 2.04, MEDCARE, is coded 2, 7, 9, or Missing	2,964		

Exercise in Past 30 Days

Section: 3.01 Exercise Type: Question

Column: 79 SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or

exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,466	76.42	77.36
2	No	759	23.52	22.62
7	Do not know/Not Sure	2	0.06	0.02

How Often Do You Drink Fruit Juices

Section: 4.01 Fruits and Vegetables Type: Question

Column: 80-82 SAS Variable Name: FRUITJUI

Prologue: These next questions are about the foods you usually eat or drink. Please tell me how often you

eat or drink each one, for example, twice a week, three times a month, and so forth. Remember, I am only interested in the foods you eat. Include all foods you eat, both at home and away from

الممغطية : ١٨٨

home.

Description: How often do you drink fruit juices such as orange, grapefruit, or tomato?

	Value	Value Label	Frequency	Percentage	Weighted Percentage
1	01 - 199	Per day	1,194	37.00	33.76
2	01 - 299	Per week	1,172	36.32	40.53
3	01 - 399	Per month	444	13.76	15.78
4	01 - 499	Per year	96	2.97	2.30
	555	Never	292	9.05	6.95
	777	Do not know/Not sure	27	0.84	0.66
	999	Refused	2	0.06	0.03

How Often Do You Eat Fruit

Section: 4.02 Fruits and Vegetables Type: Question

Column: 83-85 SAS Variable Name: FRUIT

Prologue:

Description: Not counting juice, how often do you eat fruit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,425	44.16	38.68
201 - 299	Per week	1,369	42.42	46.38
301 - 399	Per month	301	9.33	10.73
401 - 499	Per year	33	1.02	0.99
555	Never	70	2.17	2.15
777	Do not know/Not sure	28	0.87	1.06
999	Refused	1	0.03	0.01

How Often Do You Eat Green Salad

Section: 4.03 Fruits and Vegetables Type: Question

Column: 86-88 SAS Variable Name: GREENSAL

Prologue:

Description: How often do you eat green salad?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	803	24.88	20.92
201 - 299	Per week	1,989	61.64	63.49
301 - 399	Per month	281	8.71	10.63
401 - 499	Per year	26	0.81	0.84
555	Never	104	3.22	3.76
777	Do not know/Not sure	23	0.71	0.35
999	Refused	1	0.03	0.01

How Often Do You Eat Potatoes

Section: 4.04 Fruits and Vegetables Type: Question

Column: 89-91 SAS Variable Name: POTATOES

Prologue:

Description: How often do you eat potatoes not including french fries, fried potatoes, or potato chips?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	210	6.51	5.54
201 - 299	Per week	2,131	66.04	65.61
301 - 399	Per month	669	20.73	21.87
401 - 499	Per year	66	2.05	1.58
555	Never	130	4.03	4.69
777	Do not know/Not sure	20	0.62	0.69
999	Refused	1	0.03	0.01

How Often Do You Eat Carrots

Section: 4.05 Fruits and Vegetables Type: Question

Column: 92-94 SAS Variable Name: CARROTS

Prologue:

Description: How often do you eat carrots?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	300	9.30	8.19
201 - 299	Per week	1,704	52.80	50.52
301 - 399	Per month	831	25.75	28.01
401 - 499	Per year	92	2.85	2.37
555	Never	258	8.00	10.02
777	Do not know/Not sure	40	1.24	0.87
999	Refused	2	0.06	0.02

Servings of Vegetables

Section: 4.06 Fruits and Vegetables Type: Question

Column: 95-97 SAS Variable Name: VEGETABL

Prologue:

Description: Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?

[Example: A serving of vegetables at both lunch and dinner would be two servings.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	2,115	65.54	61.72
201 - 299	Per week	924	28.63	31.18
301 - 399	Per month	96	2.97	4.27
401 - 499	Per year	8	0.25	0.33
555	Never	40	1.24	1.27
777	Do not know/Not sure	44	1.36	1.23

Ever Told Had Asthma

Section: 5.01 Asthma Type: Question

Column: 98 SAS Variable Name: ASTHMA2

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	425	13.17	13.87
2	No - Go to Section 6.01 DIABETES	2,798	86.71	86.01
7	Do not know/Not Sure - Go to Section 6.01 DIABETES	3	0.09	0.11
9	Refused - Go to Section 6.01 DIABETES	1	0.03	0.02

Still Have Asthma

Section: 5.02 Asthma Type: Question

Column: 99 SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	273	64.24	64.69
2	No	146	34.35	34.40
7	Do not know/Not Sure	6	1.41	0.91
BLANK	Not asked or Missing Notes: Section 5.01, ASTHMA2, is coded 2, 7, 9, or Missing	2,802		

Ever Told by Doctor You Have Diabetes

Section: 6.01 Diabetes Type: Question

Column: 100 SAS Variable Name: DIABETES

Prologue:

Description: Have you ever been told by a doctor that you have diabetes? (If "Yes" and female, ask "Was this

only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	253	7.84	6.42
2	Yes, but female told only during pregnancy	38	1.18	0.93
3	No	2,933	90.89	92.47
7	Do not know/Not Sure	1	0.03	0.04
9	Refused	2	0.06	0.13

Last Visited Dentist or Dental Clinic

Section: 7.01 Oral Health Type: Question

Column: 101 SAS Variable Name: LASTDEN2

Prologue:

Description: How long has it been since you last visited a dentist or a dental clinic for any reason? [Include

visits to dental specialists, such as orthodontists.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	2,181	67.59	67.98
2	Within the past 2 years (1 year but < 2 years ago)	375	11.62	12.50
3	Within the past 5 years (2 years but < 5 years ago)	287	8.89	8.90
4	5 or more years ago	352	10.91	9.59
7	Do not know/Not sure	15	0.46	0.34
8	Never	16	0.50	0.67
9	Refused	1	0.03	0.02

Number of Permanent Teeth Removed

Section: 7.02 Oral Health Type: Question

Column: 102 SAS Variable Name: RMVTEETH

Prologue:

Description: How many of your permanent teeth have been removed because of tooth decay or gum disease?

Do not include teeth lost for other reasons, such as injury or orthodontics. [Include teeth lost due

to "infection."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 5	985	30.52	28.03
2	6 or more, but not all	390	12.09	9.69
3	All - Go to Section 8.01 FLUSHOT	254	7.87	5.97
7	Do not know/Not sure	53	1.64	1.06
8	None	1,542	47.78	55.18
9	Refused	3	0.09	0.08

When Teeth Last Cleaned by Dentist or Hygienist

Section: 7.03 Oral Health Type: Question

Column: 103 SAS Variable Name: DENCLEAN

Prologue:

Description: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	1,958	66.15	65.96
2	Within the past 2 years (1 year but < 2 years ago)	362	12.23	12.57
3	Within the past 5 years (2 years but < 5 years ago)	257	8.68	10.22
4	5 or more years ago	314	10.61	9.45
7	Do not know/Not sure	26	0.88	0.53
8	Never	41	1.39	1.23
9	Refused	2	0.07	0.05
BLANK	Not asked or Missing Notes: Section 7.01, LASTDEN2, is coded 8; or Section 7.02, RMVTEETH, is coded 3, or Missing	267		

Had Flu Shot in Past 12 Months

Section: 8.01 Immunization Type: Question

Column: 104 SAS Variable Name: FLUSHOT

Prologue:

Description: During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,189	36.85	30.81
2	No - Go to Section 8.03 PNEUVAC2	2,026	62.78	68.45
7	Do not know/Not Sure - Go to Section 8.03 PNEUVAC2	12	0.37	0.74

Where You Received Flu Shot

Section: 8.02 Immunization Type: Question

Column: 105-106 SAS Variable Name: FLUPRO2

Prologue:

Description: At what kind of place did you get your last flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctors office or HMO	424	35.66	35.13
2	A health department	40	3.36	1.88
3	Another type of clinic or health center Notes: Example: a community health center	153	12.87	10.64
4	A senior, recreation, or community center	45	3.78	3.02
5	A store Notes: Examples: supermarket, drug store	225	18.92	19.26
6	A hospital or emergency room	105	8.83	8.29
7	Workplace	125	10.51	15.65
8	Some other kind of place	68	5.72	5.79
77	Do not know/Not sure	4	0.34	0.32
BLANK	Not asked or Missing Notes: Section 8.01, FLUSHOT, is coded 2, 7, 9, or Missing	2,038		

Pneumonia Shots

Section: 8.03 Immunization Type: Question

Column: 107 SAS Variable Name: PNEUVAC2

Prologue:

Description: Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's

lifetime and is different from the flu shot. It is also called the pneumococcal vaccine.

Weighted Value Value Label Frequency Percentage Percentage 933 28.91 25.68 1 Yes 2 No 2,122 65.76 66.60 Do not know/Not Sure 172 5.33 7.71

Smoked at Least 100 Cigarettes

Section: 9.01 Tobacco Use Type: Question

Column: 108 SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,584	49.09	47.78
2	No - Go to Section 10.01 ALCDAY3	1,639	50.79	52.10
7	Do not know/Not Sure - Go to Section 10.01 ALCDAY3	4	0.12	0.12

Frequency of Days Now Smoking

Section: 9.02 Tobacco Use Type: Question

Column: 109 SAS Variable Name: SMOKEDAY

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	523	33.02	37.17
2	Some days	139	8.78	11.75
3	Not at all - Go to Section 10.01 ALCDAY3	922	58.21	51.08
BLANK	Not asked or Missing Notes: Section 9.01, SMOKE100, is coded 2, 7, 9, or Missing	1,643		

Stopped Smoking in past 12 months

Section: 9.03 Tobacco Use Type: Question

Column: 110 SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were

trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	362	54.68	55.56
2	No	299	45.17	44.30
7	Do not know/Not Sure	1	0.15	0.14
BLANK	Not asked or Missing Notes: Section 9.02, SMOKEDAY, is coded 3, 9, or Missing	2,565		

Frequency of Alcoholic Drinks in Past 30 Days

Section: 10.01 Alcohol Consumption Type: Question

Column: 111-113 SAS Variable Name: ALCDAY3

Prologue: A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1

cocktail, or 1 shot of liquor.

Description: During the past 30 days, how many days per week or per month did you have at least one drink of

any alcoholic beverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1 = Days per week	488	15.12	16.32
201 - 299	Days in past 30 Notes: 2 = Days in past 30	1,365	42.30	43.99
777	Do not know/Not sure	16	0.50	0.41
888	No drinks in past 30 days - Go to Section 11.01 SEATBELT	1,357	42.05	39.26
999	Refused - Go to Section 11.01 SEATBELT	1	0.03	0.02

Average Drinks per Session

Section: 10.02 Alcohol Consumption Type: Question

Column: 114-115 SAS Variable Name: AVEDRNK

Prologue: [A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1

cocktail, or 1 shot of liquor.]

Description: On the days when you drank, about how many drinks did you drink on the average?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: Number of drinks	1,838	98.34	97.82
77	Do not know/Not sure	23	1.23	1.73
99	Refused	8	0.43	0.45
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY3, is coded 888, 999, or Missing	1,358		

Binge Drinking

Section: 10.03 Alcohol Consumption Type: Question

Column: 116-117 SAS Variable Name: DRNK2GE5

Prologue: [A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1

cocktail, or 1 shot of liquor.]

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you

have 5 or more drinks on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	399	21.35	27.64
88	None	1,441	77.10	70.48
77	Do not know/Not Sure	20	1.07	1.29
99	Refused	9	0.48	0.58
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY3, is coded 888, 999, or Missing	1,358		

Drank Alcohol and Driven car

Section: 10.04 Alcohol Consumption Type: Question

Column: 118-119 SAS Variable Name: DRINKDRI

Prologue:

Description: During the past 30 days, how many times have you driven when you've had perhaps too much to

drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times	56	3.00	3.47
88	None	1,802	96.42	95.94
77	Do not know/Not sure	3	0.16	0.12
99	Refused	8	0.43	0.48
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY3 is coded 888, 999, or Missing	1,358		

How Often Use Seatbelts

Section: 11.01 Use of Seatbelts Type: Question

Column: 120 SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seatbelts when you drive or ride in a car?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	2,576	79.83	80.02
2	Nearly always	312	9.67	8.31
3	Sometimes	147	4.56	4.30
4	Seldom	74	2.29	2.39
5	Never	108	3.35	4.49
7	Do not know/Not sure	3	0.09	0.03
8	Never drive or ride in a car	6	0.19	0.44
9	Refused	1	0.03	0.01

Reported Age in Years

Section: 12.01 Demographics Type: Question

Column: 121-122 SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Do not know/Not sure	5	0.15	0.12
9	Refused	14	0.43	0.26
18 - 24	Age 18 - 24 Notes: Code age in years	253	7.84	13.85
25 - 34	Age 25 - 34	419	12.98	19.09
35 - 44	Age 35 - 44	548	16.98	19.66
45 - 54	Age 45 - 54	591	18.31	17.00
55 - 64	Age 55 - 64	539	16.70	12.47
65 - 99	Age 65 or older	858	26.59	17.55

Hispanic/Latino

Section: 12.02 Demographics Type: Question

Column: 123 SAS Variable Name: HISPANC2

Prologue:

Description: Are you Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	401	12.43	14.27
2	No	2,813	87.17	85.29
7	Do not know/Not Sure	6	0.19	0.20
9	Refused	7	0.22	0.24

Multiple Race

Section: 12.03 Demographics Type: Question

Column: 124-129 SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

ValueValue LabelFrequencyPercentageWeighted PercentageUNUSEDSuppressed3,227100.00100.00

Notes: Refer to _MRACE, MRACEORG, MRACEASC

Respondent Race Choice

Section: 12.04 Demographics Type: Question

Column: 130 SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	27	56.25	45.85
2	Black or African American	5	10.42	9.99
4	Native Hawaiian or Other Pacific Islander	1	2.08	0.17
5	American Indian, Alaska Native	7	14.58	19.76
6	Other Notes: Specify	3	6.25	5.23
7	Do not know/Not sure	5	10.42	19.01
BLANK	Not asked or Missing Notes: Only one race was selected in Section 12.03. MRACE	3,179		

Marital Status

Section: 12.05 Demographics Type: Question

Column: 131 SAS Variable Name: MARITAL

Prologue:

Description: Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	1,748	54.17	56.30
2	Divorced	487	15.09	11.31
3	Widowed	376	11.65	6.79
4	Separated	62	1.92	1.61
5	Never married	433	13.42	18.41
6	A member of an unmarried couple	110	3.41	5.42
9	Refused	11	0.34	0.16

Number of Children in Household

Section: 12.06 Demographics Type: Question

Column: 132-133 SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 7	Number of children Notes: = Number of children	1,050	32.54	37.94
88	None	2,175	67.40	61.98
99	Refused	2	0 06	0 09

Education Level

Section: 12.07 Demographics Type: Question

Column: 134 SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	5	0.15	0.07
2	Grades 1 - 8 (Elementary)	72	2.23	1.98
3	Grades 9 - 11 (Some high school)	209	6.48	6.14
4	Grade 12 or GED (High school graduate)	903	27.98	28.43
5	College 1 year to 3 years (Some college or technical school)	1,052	32.60	32.41
6	College 4 years or more (College graduate)	982	30.43	30.93
9	Refused	4	0.12	0.05

Employment Status

Section: 12.08 Demographics Type: Question

Column: 135 SAS Variable Name: EMPLOY

Prologue:

Description: Are you currently:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	1,376	42.64	50.83
2	Self-employed	295	9.14	7.32
3	Out of work for more than 1 year	48	1.49	1.69
4	Out of work for less that 1 year	97	3.01	3.89
5	A homemaker	258	8.00	7.46
6	A student	102	3.16	4.40
7	Retired	901	27.92	19.23
8	Unable to work	143	4.43	5.00
9	Refused	7	0.22	0.16

Income Level

Section: 12.09 Demographics Type: Question

Column: 136-137 SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level,

code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	144	4.46	3.53
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	179	5.55	3.77
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	240	7.44	6.93
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	282	8.74	8.63
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	470	14.56	13.05
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	534	16.55	15.45
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	478	14.81	18.13
8	\$75,000 or more	422	13.08	16.72
77	Do not know/Not sure	189	5.86	6.02
99	Refused	289	8.96	7.77

Reported Weight in Pounds

Section: 12.10 Demographics Type: Question

Column: 138-140 SAS Variable Name: WEIGHT

Prologue:

Description: About how much do you weigh without shoes? [Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 776	Weight (pounds)	3,137	97.21	97.17
777	Do not know/Not sure	38	1.18	1.58
999	Refused	52	1.61	1.26

Reported Height in Feet and Inches

Section: 12.11 Demographics Type: Question

Column: 141-143 SAS Variable Name: HEIGHT

Prologue:

Description: About how tall are you without shoes? [Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches)	3,184	98.67	98.39
777	Do not know/Not sure	29	0.90	1.21
999	Refused	14	0.43	0.40

County Code

Section: 12.12 Demographics Type: Question

Column: 144-146 SAS Variable Name: CTYCODE

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Do not know/Not sure	69	2.14	2.43
999	Refused	16	0.50	0.47
UNUSED	Suppressed	3,142	97.37	97.10

Household Telephones

Section: 12.13 Demographics Type: Question

Column: 147 SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or

numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	371	11.50	8.87
2	No - Go to Section 12.15 SEX	2,847	88.22	90.76
7	Do not know/Not sure - Go to Section 12.15 SEX	1	0.03	0.10
9	Refused - Go to Section 12 15 SEX	8	0.25	0 27

Residential Phones

Section: 12.14 Demographics Type: Question

Column: 148 SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	115	31.00	38.30
2	Residential telephone numbers	228	61.46	56.02
3	Residential telephone numbers	13	3.50	2.55
4	Residential telephone numbers	3	0.81	0.22
5	Residential telephone numbers	2	0.54	0.06
7	Do not know/Not Sure	5	1.35	1.77
9	Refused	5	1.35	1.08
BLANK	Not asked or Missing Notes: Section 12.13, NUMHHOL2, is coded 2, 7, 9, or Missing	2,856		

Respondents Sex

Section: 12.15 Demographics Type: Question

Column: 149 SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male - Go to Section 13.01 BRTHCNT2	1,285	39.82	49.28
2	Female	1,942	60.18	50.72

Pregnancy Status

Section: 12.16 Demographics Type: Question

Column: 150 SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	5.73	7.51
2	No	687	93.72	92.23
7	Do not know/Not Sure	4	0.55	0.26
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1; or Section 12.01, AGE is greater than 44	2,494		

Methods of Birth Control being used

Section: 13.01 Family Planning Type: Question

Column: 151 SAS Variable Name: BRTHCNT2

Prologue: The next few questions ask about pregnancy and ways to prevent pregnancy.

Description: Are you or your [if female, insert husband/partner; if male, insert wife/partner] doing anything now

to keep [if female, insert "you"; insert "her" if male] from getting pregnant? Some things people do to keep from getting pregnant include not having sex at certain times, using birth control methods

such as the pill, Norplant, shots or Depo-provera, condoms, diaphragm, foam, IUD,

having their tubes tied, or having a vasectomy.(If multiple partners, consider usual method.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	807	52.81	51.40
2	No - Go to Section 13.04 NOBCUSE	435	28.47	30.13
3	No partner/not sexually active - Go to Section 14.01 HADMAM	221	14.46	13.48
4	Same sex partner - Go to Section 14.01 HADMAM	13	0.85	0.79
7	Do not know/Not sure - Go to Section 14.01 HADMAM	16	1.05	1.29
9	Refused - Go to Section 14.01 HADMAM	36	2.36	2.91
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 2 and Section 12.01, AGE, is > 44; or Section 12.15, SEX, is coded 1 and Section 12.01, AGE, is > 59; or Section 12.16, PREGNANT, is coded 1	1,699		

Type of Birth Control

Section: 13.02 Family Planning Type: Question

Column: 152-153 **SAS Variable Name: TYPCNTR2**

Prologue:

Description: What are you or your [if female, insert husband/partner; if male, insert wife/partner] doing now to

keep [if female, insert "you"; insert "her" if male] from getting pregnant? [Interviewer: Record respondent's condition if both have had sterilization procedures.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Tubes tied (sterilization) - Go to Section 14.01 HADMAM	159	19.70	17.78
2	Vasectomy (sterilization) - Go to Section 14.01 HADMAM	152	18.84	15.51
3	Pill	221	27.39	31.30
4	Condoms	116	14.37	14.91
5	Foam, jelly, cream	1	0.12	0.12
6	Diaphragm	5	0.62	0.61
8	IUD	18	2.23	1.45
9	Shots (Depo-Provera)	39	4.83	6.16
10	Withdrawal	3	0.37	0.31
11	Not having sex at certain times (rhythm)	21	2.60	2.55
12	No partner/not sexually active - Go to Section 14.01 HADMAM	11	1.36	1.46
13	Other Method(s)	31	3.84	4.70
77	Do not know/Not sure - Go to Section 14.01 HADMAM	9	1.12	0.83
99	Refused - Go to Section 14.01 HADMAM	21	2.60	2.31
BLANK	Not asked or Missing Notes: Section 13.01, BRTHCNT2, is coded 2, 3, 4, 7, 9, or Missing	2,420		

Other Birth Control Methods

Section: 13.03 Family Planning Type: Question

Column: 154-155 SAS Variable Name: OTHERBC

Prologue:

Description: What other method are you also using to prevent pregancy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Tubes tied (sterilization) - Go to Section 14.01 HADMAM	2	0.44	0.18
2	Vasectomy (sterilization) - Go to Section 14.01 HADMAM	6	1.32	1.25
3	Pill - Go to Section 14.01 HADMAM	14	3.08	2.41
4	Condoms - Go to Section 14.01 HADMAM	45	9.89	10.52
5	Foam, jelly, cream - Go to Section 14.01 HADMAM	3	0.66	0.91
6	Diaphragm - Go to Section 14.01 HADMAM	1	0.22	0.33
7	Norplant - Go to Section 14.01 HADMAM	2	0.44	0.17
9	Shots (Depo-Provera) - Go to Section 14.01 HADMAM	1	0.22	0.07
10	Withdrawal - Go to Section 14.01 HADMAM	4	0.88	0.42
11	Not having sex at certain times (rhythm) - Go to Section 14.01 \ensuremath{HADMAM}	11	2.42	2.85
12	No partner/not sexually active - Go to Section 14.01 HADMAM	3	0.66	0.59
13	Other Method(s) - Go to Section 14.01 HADMAM	12	2.64	2.37
87	No Other Method(s) - Go to Section 14.01 HADMAM	313	68.79	71.67
77	Do not know/Not sure - Go to Section 14.01 HADMAM	32	7.03	5.15
99	Refused - Go to Section 14.01 HADMAM	6	1.32	1.11
BLANK	Not asked or Missing Notes: Section 13.02, TYPCNTR2, is coded 1, 2, 12, 77, 99, or Missing	2,772		

Main Reason not using Birth Control

Section: 13.04 Family Planning Type: Question

Column: 156-157 SAS Variable Name: NOBCUSE

Prologue:

Description: [FEMALES] What is your main reason for not doing anything to keep you from getting pregnant?

[MALES] What is your main reason for not doing anything to keep your partner from getting

pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not sexually active/no partner	44	10.11	8.28
2	Did not think was going to have sex/no regular partner	1	0.23	0.18
3	You want a pregnancy	41	9.43	13.63
4	You or your partner do not want to use birth control	2	0.46	0.16
7	Lapse in use of a method	1	0.23	0.29
8	Do not think you or your partner can get pregnant	24	5.52	4.68
9	You or your partner had tubes tied (sterilization)	46	10.57	8.88
10	You or your partner had a vasectomy (sterilization)	35	8.05	7.16
11	You or your partner had a hysterectomy	58	13.33	9.14
12	You or your partner are too old	25	5.75	6.54
13	You or your partner are currently breast-feeding	3	0.69	1.09
14	You or your partner just had a baby/postpartum	1	0.23	0.23
15	Other reason	57	13.10	16.07
16	Do not care if get pregnant	39	8.97	11.38
17	Same sex partner	3	0.69	0.74
18	Partner is pregnant now	13	2.99	3.83
77	Do not know/Not sure	29	6.67	5.31
99	Refused	13	2.99	2.40
BLANK	Not asked or Missing Notes: Section 13.01, BRTHCNT2, is coded 1, 3, 4, 7, 9, or	2,792		

Missing

Have You Ever Had a Mammogram

Section: 14.01 Women's Health Type: Question

Column: 158 SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a

mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,373	70.70	65.60
2	No - Go to Section 14.03 PROFEXAM	557	28.68	33.69
7	Do not know/Not sure - Go to Section 14.03 PROFEXAM	3	0.15	0.26
9	Refused - Go to Section 14.03 PROFEXAM	9	0.46	0.44
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1	1,285		

How Long since Last Mammogram

Section: 14.02 Women's Health Type: Question

Column: 159 SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (<12 months ago)	905	65.91	66.46
2	Within the past 2 years (1 year but < 2 years ago)	216	15.73	17.00
3	Within the past 3 years (2 years but < 3 years ago)	90	6.55	6.74
4	Within the past 5 years (3 years but < 5 years ago)	60	4.37	4.18
5	5 or more years ago	94	6.85	5.27
7	Do not know/Not sure	8	0.58	0.35
BLANK	Not asked or Missing Notes: Section 14.01, HADMAM, is coded 2, 7, 9, or Missing	1,854		

Ever Had Breast Physical Exam by Doctor

Section: 14.03 Women's Health Type: Question

Column: 160 SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for

lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,760	90.63	90.42
2	No - Go to Section 14.05 HADPAP	171	8.81	8.89
7	Do not know/Not sure - Go to Section 14.05 HADPAP	3	0.15	0.30
9	Refused - Go to Section 14.05 HADPAP	8	0.41	0.39
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1	1,285		

How Long since Last Breast Physical Exam

Section: 14.04 Women's Health Type: Question

Column: 161 SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	1,257	71.42	75.81
2	Within the past 2 years (1 year but < 2 years ago)	240	13.64	12.69
3	Within the past 3 years (2 years but < 3 years ago)	83	4.72	4.13
4	Within the past 5 years (3 years but < 5 years ago)	62	3.52	2.71
5	5 or more years ago	105	5.97	4.15
7	Do not know/Not sure	12	0.68	0.47
9	Refused	1	0.06	0.03
BLANK	Not asked or Missing Notes: Section 14.03, PROFEXAM, is coded 2, 7, 9, or Missing	1,467		

Ever Had a Pap Smear Test

Section: 14.05 Women's Health Type: Question

Column: 162 SAS Variable Name: HADPAP

Prologue:

Description: A Pap smear is a test for cancer of the cervix. Have you ever had a Pap smear?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,845	95.01	95.08
2	No - Go to Section 14.07 HADHYST2	79	4.07	3.77
7	Do not know/Not sure - Go to Section 14.07 HADHYST2	6	0.31	0.55
9	Refused - Go to Section 14.07 HADHYST2	12	0.62	0.60
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1	1,285		

When Was Last Pap Smear

Section: 14.06 Women's Health Type: Question

Column: 163 SAS Variable Name: LASTPAP

Prologue:

Description: How long has it been since you had your last Pap smear?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	1,121	60.76	67.45
2	Within the past 2 years (1 year but < 2 years ago)	269	14.58	12.51
3	Within the past 3 years (2 years but < 3 years ago)	107	5.80	5.10
4	Within the past 5 years (3 years but < 5 years ago)	86	4.66	3.31
5	5 or more years ago	235	12.74	10.79
7	Do not know/Not sure	25	1.36	0.79
9	Refused	2	0.11	0.05
BLANK	Not asked or Missing Notes: Section 14.5. HADPAP, is coded 2.7.9. or Missing	1,382		

Had Hysterectomy

Section: 14.07 Women's Health Type: Question

Column: 164 SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	594	31.65	25.52
2	No	1,273	67.82	74.00
9	Refused	10	0.53	0.48
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1; or Section 12.16, PREGNANT, is coded 1; or Section 13.04, NOBCUSE, is coded 11	1,350		

Ever Had PSA Test

Section: 15.01 Prostate Cancer Screening Type: Question

Column: 165 SAS Variable Name: PSATEST

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for

prostate cancer. Have you ever had a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	572	62.51	60.68
2	No - Go to Section 15.03 DIGRECEX	298	32.57	35.03
7	Do not know/Not Sure - Go to Section 15.03 DIGRECEX	38	4.15	3.60
9	Refused - Go to Section 15.03 DIGRECEX	7	0.77	0.69
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40 or Section 12.15, SEX. is coded 2	2,312		

Time Since Last PSA Test

Section: 15.02 Prostate Cancer Screening Type: Question

Column: 166 SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	413	72.20	72.61
2	Within the past 2 years (1 year but < 2 years ago)	83	14.51	12.32
3	Within the past 3 years (2 years but < 3 years ago)	31	5.42	6.88
4	Within the past 5 years (3 years but < 5 years ago)	20	3.50	3.82
5	5 or more years ago	20	3.50	3.56
7	Do not know/Not Sure	5	0.87	0.81
BLANK	Not asked or Missing Notes: Section 15.01, PSATEST, is coded, 2, 7, 9, or Missing	2,655		

Ever Had Digital Rectal Exam

Section: 15.03 Prostate Cancer Screening Type: Question

Column: 167 SAS Variable Name: DIGRECEX

Prologue:

Description: A digital rectal exam is an exam in which a doctor, nurse or other health professional places a

gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you

ever had a digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	697	76.17	74.42
2	No - Go to Section 15.05 PROSTATE	202	22.08	24.16
7	Do not know/Not Sure - Go to Section 15.05 PROSTATE	7	0.77	0.66
9	Refused - Go to Section 15.05 PROSTATE	9	0.98	0.76
BLANK	Not asked or Missing Notes: If Section 12.01, AGE, is less than 40 or Section 12.15, SEX, is coded 2	2,312		

Time Since Last Digital Rectal Exam

Section: 15.04 Prostate Cancer Screening Type: Question

Column: 168 SAS Variable Name: DRETIME

Prologue:

Description: How long has it been since your last digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months)	399	57.25	58.54
2	Within the past 2 years (1 year but < 2 years ago)	123	17.65	15.97
3	Within the past 3 years (2 years but < 3 years ago)	49	7.03	9.73
4	Within the past 5 years (3 years but < 5 years ago)	34	4.88	5.71
5	5 or more years ago	81	11.62	8.46
7	Do not know/Not sure	11	1.58	1.60
BLANK	Not asked or Missing Notes: Section 15.3, DIGRECEX, is coded 2, 7, 9, or Missing	2,530		

Ever Told You Had Prostate Cancer

Section: 15.05 Prostate Cancer Screening Type: Question

Column: 169 SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate

cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	3.28	2.01
2	No	875	95.63	97.27
7	Do not know/Not sure	2	0.22	0.12
9	Refused	8	0.87	0.60
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40 or Section 12.15, SEX, is coded 2	2,312		

Ever Had Blood Stool Test Using Home Kit

Section: 16.01 Colorectal Cancer Screening Type: Question

Column: 170 SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool

contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	867	50.32	51.69
2	No - Go to Section 16.03 HADSIGM2	835	48.46	47.19
7	Do not know/Not Sure - Go to Section 16.03 HADSIGM2	14	0.81	0.78
9	Refused - Go to Section 16.03 HADSIGM2	7	0.41	0.33
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	1,504		

Time Since Last Blood Stool Test

Section: 16.02 Colorectal Cancer Screening Type: Question

Column: 171 SAS Variable Name: LSTBLDS2

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	410	47.29	51.74
2	Within the past 2 years (1 year but < 2 years ago)	159	18.34	15.91
3	Within the past 5 years (2 years but < 5 years ago)	176	20.30	19.33
4	5 or more years ago	107	12.34	11.94
7	Do not know/Not sure	14	1.61	1.02
9	Refused	1	0.12	0.06
BLANK	Not asked or Missing Notes: Section 16.01, BLDSTOOL, is coded 2, 7, 9, or Missing	2,360		

Ever Had Sigmoidoscopy/Colonoscopy

Section: 16.03 Colorectal Cancer Screening Type: Question

Column: 172 SAS Variable Name: HADSIGM2

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the

bowel for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	830	48.17	51.20
2	No - Go to Section 17.01 HIVTF1A	867	50.32	47.80
7	Do not know/Not Sure - Go to Section 17.01 HIVTF1A	15	0.87	0.59
9	Refused - Go to Section 17.01 HIVTF1A	11	0.64	0.41
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	1,504		

Time Since Last Sigmoidoscopy/Colonoscopy

Section: 16.04 Colorectal Cancer Screening Type: Question

Column: 173 SAS Variable Name: LASTSIG2

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	232	27.95	30.14
2	Within the past 2 years (1 year but < 2 years ago)	175	21.08	19.72
3	Within the past 5 years (2 years but < 5 years ago)	245	29.52	30.62
4	Within the past 10 years (5 years but < 10 years ago)	88	10.60	9.99
5	10 or more years ago	84	10.12	8.90
7	Do not know/Not Sure	4	0.48	0.41
9	Refused	2	0.24	0.22
BLANK	Not asked or Missing Notes: Section 16.3, HADSIGM2, is coded 2, 7, 9, or Missing	2,397		

Pregnancy and AIDS Knowledge

Section: 17.01 HIV/AIDS Type: Question

Column: 174 SAS Variable Name: HIVTF1A

Prologue: The next few questions are about the national health problem of HIV, the virus that causes AIDS.

Please remember that your answers are strictly confidential and that you don't have to answer every question if you don't want to. I'm going to read two statements about HIV, the virus that causes AIDS. After I read each one, please tell me whether you think it is true or false, or if you

don't know.

Description: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the

virus on to her baby.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	True	1,150	48.54	49.44
2	False	443	18.70	19.06
7	Do not know/Not Sure	746	31.49	30.21
9	Refused	30	1.27	1.29
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	858		

Medical Treatment and HIV Infection

Section: 17.02 HIV/AIDS Type: Question

Column: 175 SAS Variable Name: HIVTF1B

Prologue: [I'm going to read two statements about HIV, the virus that causes AIDS. After I read each one,

please tell me whether you think it is true or false, or if you don't know.]

Description: There are medical treatments available that are intended to help a person who is infected with HIV

to live longer.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	True	2,065	87.17	86.19
2	False	83	3.50	4.53
7	Do not know/Not Sure	192	8.10	8.06
9	Refused	29	1.22	1.22
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	858		

Importance of HIV Test Status

Section: 17.03 HIV/AIDS Type: Question

Column: 176 SAS Variable Name: HIVOPT1B

Prologue:

Description: How important do you think it is for people to know their HIV status by getting tested?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very important	2,098	88.56	89.40
2	Somewhat important	134	5.66	5.40
3	Not at all important	14	0.59	0.72
7	Do not know/Not sure	23	0.97	0.55
8	Depends on Risk	66	2.79	2.36
9	Refused	34	1.44	1.57
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	858		

Ever Tested for HIV - Excluding Blood Donations

Section: 17.04 HIV/AIDS Type: Question

Column: 177 SAS Variable Name: HIVTST3

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood

donation. [Include saliva tests.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,016	42.89	44.82
2	No - Go to Section 17.08 HIVRISK2	1,254	52.93	50.95
7	Do not know/Not Sure - Go to Section 17.08 HIVRISK2	66	2.79	2.64
9	Refused - Go to Section 17.08 HIVRISK2	33	1.39	1.59
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	858		

Month and Year of Last HIV Test

Section: 17.05 HIV/AIDS Type: Question

Column: 178-183 SAS Variable Name: HIVTSTD2

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is

before January 1985, code "Don't know".)[Include saliva tests.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 772002	Code month and year Notes:/ month and year	742	73.03	75.23
777777	Do not know/Not sure	269	26.48	24.25
999999	Refused	5	0.49	0.51
BLANK	Not asked or Missing Notes: Section 17.04, HIVTST3, is coded 2, 7, 9, or Missing	2,211		

Main Reason Blood Tested for HIV

Section: 17.06 HIV/AIDS Type: Question

Column: 184-185 SAS Variable Name: RSNTST4

Prologue:

Description: I am going to read you a list of reasons why some people have been tested for HIV. Not including

blood donations, which of these would you say was the main reason for your last HIV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	It was required	222	21.85	22.82
2	Someone suggested you should be tested	30	2.95	2.08
3	You thought you may have gotten HIV through sex or drug use	35	3.44	4.17
4	You just wanted to find out whether you had HIV	193	19.00	17.54
5	You were worried that you could give HIV to someone	12	1.18	1.05
6	You were pregnant Notes: (IF FEMALE)	112	11.02	10.44
7	It was done as part fo a routine medical check-up	253	24.90	25.73
8	Some other reason	147	14.47	15.42
77	Do not know/Not sure	9	0.89	0.54
99	Refused	3	0.30	0.21
BLANK	Not asked or Missing Notes: Section 17.04, HIVTST3, is coded 2, 7, 9, or Missing	2,211		

Where Last Tested for HIV

Section: 17.07 HIV/AIDS Type: Question

Column: 186-187 SAS Variable Name: WHRTST5

Prologue:

Description: Where did you have your last HIV test: at a private doctor or HMO office, at a counseling and

testing site, at a hospital, at a clinic, in a jail or prison, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	427	42.03	45.31
2	Counceling and testing site	45	4.43	3.34
3	Hospital	151	14.86	17.36
4	Clinic	248	24.41	19.10
5	In a jail or prison (or other correctional facility)	8	0.79	0.67
6	Home	33	3.25	4.03
7	Somewhere else	90	8.86	9.06
77	Do not know/Not sure	11	1.08	0.98
99	Refused	3	0.30	0.16
BLANK	Not asked or Missing Notes: Section 17.04, HIVTST3, is coded 2, 7, 9, or Missing	2,211		

Do Any High Risk Situations Apply

Section: 17.08 HIV/AIDS Type: Question

Column: 188 SAS Variable Name: HIVRISK2

Prologue:

Description: I'm going to read you a list. When I'm done, please tell me if any of the situations apply to you. You

don't need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received

money or drugs in exchange for sex in the past year. You had anal sex without a condom

in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	78	3.29	4.43
2	No	2,246	94.81	93.37
7	Do not know/Not sure	2	0.08	0.16
9	Refused	43	1.82	2.04
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64.	858		

Talk to Professional About STDs and Condom Use

Section: 17.09 HIV/AIDS Type: Question

Column: 189 SAS Variable Name: PCSAIDS2

Prologue: The next question is about sexually transmitted diseases other than HIV such as syphilis,

gonorrhea, chlamydia, or genital herpes.

Description: In the past 12 months has a doctor, nurse or other health professional talked to you about

preventing sexually transmitted diseases through condom use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	264	11.14	14.06
2	No	2,059	86.91	83.76
7	Do not know/Not sure	2	0.08	0.09
9	Refused	44	1.86	2.09
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	858		

Firearms Kept In or Around Home

Section: 18.01 Firearms Type: Question

Column: 190 SAS Variable Name: FIREARM4

Prologue: The next three questions are about firearms. We are asking these in a health survey because of

our interest in firearm-related injuries. Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or guns that cannot fire. Include those kept in a garage,

outdoor storage area, or motor vehicle.

Description: Are any firearms kept in or around your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,165	36.10	35.42
2	No - Go to . closing statement	1,905	59.03	60.32
7	Do not know/Not Sure - Go to . closing statement	11	0.34	0.37
9	Refused - Go to . closing statement	146	4.52	3.89

Loaded Firearms in Home

Section: 18.02 Firearms Type: Question

Column: 191 SAS Variable Name: GUNLOAD

Prologue: [Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or

guns that cannot fire. Include those kept in a garage, outdoor storage area, or motor vehicle.]

Description: Are any of these firearms now loaded?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	347	29.79	30.43
2	No - Go to . closing statement	788	67.64	66.36
7	Do not know/Not sure - Go to . closing statement	25	2.15	2.60
9	Refused - Go to . closing statement	5	0.43	0.61
BLANK	Not asked or Missing Notes: Section 18.01, FIREARM4, is coded 2, 7, 9, or Missing	2,062		

Unlocked Firearms in Home

Section: 18.03 Firearms Type: Question

Column: 192 SAS Variable Name: LOADULK2

Prologue: [Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or

guns that cannot fire. Include those kept in a garage, outdoor storage area, or motor vehicle.]

Description: Are any of these loaded firearms also unlocked? By "unlocked" we mean you do not need a key

or combination to get the gun or to fire it. We don't count a safety as a lock.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	238	68.59	66.36
2	No	108	31.12	32.95
7	Do not know/Not sure	1	0.29	0.69
BLANK	Not asked or Missing Notes: Section 18.02. GUNLOAD, is coded 2. 7. 9 or Missing	2,880		

Age When Told Diabetic

Module: 1.01 Diabetes Type: Question

Column: 193-194 SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years Notes: Code age in years, 97 = 97 or older	240	94.86	93.75
98	Do not know/Not sure	7	2.77	3.05
99	Refused	6	2.37	3.20
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Now Taking Insulin

Module: 1.02 Diabetes Type: Question

Column: 195 SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	60	23.72	22.96
2	No	190	75.10	75.37
9	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Now Taking Diabetes Pills

Module: 1.03 Diabetes Type: Question

Column: 196 SAS Variable Name: DIABPILL

Prologue:

Description: Are you now taking diabetes pills?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	153	60.47	61.39
2	No	97	38.34	36.94
9	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

How Often Check Blood for Glucose

Module: 1.04 Diabetes Type: Question

Column: 197-199 SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 Times per day	137	54.15	57.61
201 - 299	Times per week Notes: 2 Times per week	47	18.58	16.01
301 - 399	Times per month Notes: 3 Times per month	22	8.70	9.04
401 - 499	Times per year Notes: 4 Times per year	15	5.93	3.73
777	Do not know/Not sure	4	1.58	0.78
888	Never	26	10.28	11.50
999	Refused	2	0.79	1.32
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

How Often Check Feet for Sores or Irritations

Module: 1.05 Diabetes Type: Question

Column: 200-202 SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked

by a family member or friend, but do not include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 Times per day	167	66.01	66.36
201 - 299	Times per week Notes: 2 Times per week	39	15.42	15.13
301 - 399	Times per month Notes: 3 Times per month	5	1.98	2.77
401 - 499	Times per year Notes: 4 Times per year	4	1.58	2.42
555	No feet	1	0.40	0.12
777	Do not know/Not sure	6	2.37	1.07
888	Never	28	11.07	10.45
999	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Ever Had Feet Sores or Irritations Lasting More Than Four Weeks

Module: 1.06 Diabetes Type: Question

Column: 203 SAS Variable Name: FEETSORE

Prologue:

Description: Have you ever had any sores or irritations on your feet that took more than four weeks to heal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	9.09	8.36
2	No	226	89.33	89.84
7	Do not know/Not sure	1	0.40	0.13
9	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Times Seen Health Professional for Diabetes

Module: 1.07 Diabetes Type: Question

Column: 204-205 SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health

professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: Number of times, 76=76 or more	214	84.58	85.63
88	None	30	11.86	11.02
77	Do not know/Not sure	6	2.37	1.68
99	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Times Checked for Glycosylated Hemoglobin

Module: 1.08 Diabetes Type: Question

Column: 206-207 SAS Variable Name: CHKHEMO2

Prologue:

Description: A test for hemoglobin "A one C" measures the average level of blood sugar over the past three

months. About how many times in the past 12 months has a doctor, nurse, or other health

professional checked you for hemoglobin "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: Number of times, 76 = 76 or more	200	79.05	78.80
88	None	15	5.93	7.68
98	Never heard of hemoglobin "A one C" test	9	3.56	2.94
77	Do not know/Not sure	26	10.28	8.90
99	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Times Feet Check for Sores/irritations

Module: 1.09 Diabetes Type: Question

Column: 208-209 SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any

sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: Number of times, 76=76 or more	167	66.27	63.72
88	None	74	29.37	31.38
77	Do not know/Not sure	7	2.78	3.12
99	Refused	4	1.59	1.77
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used: or Module 1.05, FEETCHK2, is coded 555	2,975		

Last Eye Exam Where Pupils Were Dilated

Module: 1.10 Diabetes Type: Question

Column: 210 SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had eye exam in which the pupils were dilated? This would have

made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (< 1 month ago)	66	26.09	24.96
2	Within the past year (1 month but < 12 months ago)	119	47.04	47.51
3	Within the past 2 years (1 year but < 2 years ago)	34	13.44	11.94
4	2 or more years ago	22	8.70	11.10
7	Do not know/Not sure	2	0.79	0.79
8	Never	7	2.77	2.02
9	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Ever Told Diabetes Has Affected Eyes

Module: 1.11 Diabetes Type: Question

Column: 211 SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	22.92	22.75
2	No	188	74.31	73.45
7	Do not know/Not sure	4	1.58	2.13
9	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Ever Taken Class in Managing Diabetes

Module: 1.12 Diabetes Type: Question

Column: 212 SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Percentage
1	Yes	124	49.01	55.21
2	No	126	49.80	43.12
9	Refused	3	1.19	1.67
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	2,974		

Waightad

Ever Told Blood Pressure High

Module: 2.01 Hypertension Awareness Type: Question

Column: 213 SAS Variable Name: BPHIGH3

Prologue:

Description: Have you ever been told by a doctor, nurse or other health professional that you have high blood

pressure? (If "Yes" and female, ask "Was this only when you were pregnant?".)

Weighted

Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Currently Taking Blood Pressure Medication

Module: 2.02 Hypertension Awareness Type: Question

Column: 214 SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value Value Label Weighted Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 2.01, BPHIGH3, is coded 2, 3, 7, 9, or Missing

Ever Had Blood Cholesterol Checked

Module: 3.01 Cholesterol Awareness Type: Question

Column: 215 SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood

cholesterol checked?

Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

How Long since Cholesterol Checked

Module: 3.02 Cholesterol Awareness Type: Question

Column: 216 SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Weighted Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 3.01, BLOODCHO, is coded 2, 7, 9, or Missing

Ever Told Blood Cholesterol High

Module: 3.03 Cholesterol Awareness Type: Question

Column: 217 SAS Variable Name: TOLDHI2

Prologue:

Description: Have you ever been told by a doctor, nurse or other health professional that your blood

cholesterol is high?

Weighted Value Label Value Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 3.01, BLOODCHO, is coded 2, 7, 9, or Missing

Physical Activity at Work

Module: 4.01 Physical Activity Type: Question

SAS Variable Name: JOBACTIV Column: 218

Prologue:

Description: When you are at work, which of the following best describes what you do? (If respondent has

multiple jobs, include all jobs.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mostly sitting or standing	994	59.49	58.43
2	Mostly walking	359	21.48	21.29
3	Mostly heavy labor or physically demanding work	244	14.60	16.04
7	Do not know/Not Sure	34	2.03	1.66
9	Refused	40	2.39	2.59
BLANK	Not asked, Module not used, or Missing Notes: Section 12.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or	1,556		

Missing

Moderate Physical Activity

Module: 4.02 Physical Activity

Type: Question

Column: 219 SAS Variable Name: MODPACT

Prologue: We are interested in two types of physical activity: vigorous and moderate. Vigorous activities

cause large increases in breathing or heart rate while moderate activities cause small increases in

breathing or heart rate.

Description: Now, thinking about the moderate physical activities you do [fill in (when you are not working) if

"employed" or "self-employed" to core Q12.8] in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything

else that causes small increases in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,758	85.47	87.15
2	No - Go to Module 4.05 VIGPACT	405	12.55	10.59
7	Do not know/Not Sure - Go to Module 4.05 VIGPACT	9	0.28	0.14
9	Refused - Go to Module 4.05 VIGPACT	55	1.70	2.12

Moderate Physical Activity Days

Module: 4.03 Physical Activity

Type: Question

Column: 220-221 SAS Variable Name: MODPADAY

Prologue:

Description: How many days per week do you do these moderate activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week Notes: = Days per week	2,737	99.24	99.42
88	Do less than 10 mins of moderate activity at a time - Go to Module 4.05 VIGPACT $$	10	0.36	0.22
77	Do not know/Not sure	8	0.29	0.22
99	Refused	3	0.11	0.14
BLANK	Not asked, Module not used, or Missing Notes: Module 4.02, MODPACT, is coded 2, 7, 9, or Missing	469		

Moderate Physical Activity Time

Module: 4.04 Physical Activity

Type: Question

Column: 222-224 SAS Variable Name: MODPATIM

Prologue:

Description: On days when you do moderate activities for at least 10 minutes at a time, how much total time per

day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day Notes: _:_ = Hours and minutes per day	2,623	95.45	95.47
777	Do not know/Not sure	117	4.26	3.84
999	Refused	8	0.29	0.69
BLANK	Not asked, Module not used, or Missing Notes: Module 4.02, MODPACT, is coded 2, 7, 9, Missing, or Module not used; or Module 4.03, MODPADAY, is coded 88	479		

Vigorous Physical Activity

Module: 4.05 Physical Activity

Type: Question

Column: 225 SAS Variable Name: VIGPACT

Prologue: [We are interested in two types of physical activity: vigorous and moderate. Vigorous activities

cause large increases in breathing or heart rate while moderate activities cause small increases in

breathing or heart rate.]

Description: Now thinking about the vigorous physical activities you do [fill in (when you are not working) if

"employed" or "self-employed" to core Q12.8] in a week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes

large increases in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,495	46.33	51.23
2	No - Go to Module 5.01 PHYSHLTH	1,648	51.07	45.96
7	Do not know/Not sure - Go to Module 5.01 PHYSHLTH	20	0.62	0.31
9	Refused - Go to Module 5.01 PHYSHLTH	64	1.98	2.49

Vigorous Physical Activity Days

Module: 4.06 Physical Activity

Type: Question

Column: 226-227 SAS Variable Name: VIGPADAY

Prologue:

Description: How many days per week do you do these vigorous activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week Notes: = Days per week	1,478	98.86	99.42
88	Do less than 10 mins of vigorous activity at a time - Go to Module 5.01 PHYSHLTH	8	0.54	0.26
77	Do not know/Not sure - Go to Module 5.01 PHYSHLTH	7	0.47	0.29
99	Refused - Go to Module 5.01 PHYSHLTH	2	0.13	0.04
BLANK	Not asked, Module not used, or Missing Notes: Module 4.05, VIGPACT, is coded 2, 7, 9, or Missing	1,732		

Vigorous Physical Activity Time

Module: 4.07 Physical Activity

Type: Question

Column: 228-230 SAS Variable Name: VIGPATIM

Prologue:

Description: On days when you do vigorous activities for at least 10 minutes at a time, how much total time per

day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day Notes: _: Hours and minutes per day	1,432	96.30	96.27
777	Do not know/Not sure	49	3.30	2.88
999	Refused	6	0.40	0.85
BLANK	Not asked, Module not used, or Missing Notes: Module 4 06. VIGPADAY, is coded 77. 88. 99. or Missing	1,740		

Number of Days Physical Health Not Good

Module: 5.01 Healthy Days Type: Question

Column: 231-232 SAS Variable Name: PHYSHLTH

Prologue: Earlier, I asked you to rate your general health as excellent, very good, good, fair, or poor.

Description: Now thinking about your physical health, which includes physical illness and injury, for how many

days during the past 30 days was your physical health not good?

Weighted

Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Number of Days Mental Health Not Good

Module: 5.02 Healthy Days Type: Question

Column: 233-234 SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with

emotions, for how many days during the past 30 days was your mental health not good?

emotions, for now many days during the past 30 days was your mental health not good:

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Module not used, or Missing 3,227

Poor Physical Health

Module: 5.03 Healthy Days Type: Question

Column: 235-236 SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you

from doing your usual activities, such as self-care, work, or recreation?

Weighted
Value Value Label Frequency Percentage Percentage

value value Label recentage recentage

BLANK Module not used or Missing 3,227

Notes: Module 5.01, PHYSHLTH, is 88 and Module 5.2, MENTHLTH,

Activity Limitation Due to Health Problems

Module: 6.01 Quality of Life Type: Question

Column: 237 SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	743	23.02	22.06
2	No	2,401	74.40	74.89
7	Do not know/Not Sure	13	0.40	0.47
9	Refused	70	2.17	2.58

Health Problems Requiring Special Equipment

Module: 6.02 Quality of Life Type: Question

Column: 238 SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a

wheelchair, a special bed, or a special telephone? [Include occasional use or use in certain

circumstances.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	206	6.38	4.83
2	No	2,951	91.45	92.66
7	Do not know/Not Sure	2	0.06	0.01
9	Refused	68	2.11	2.49

Health Problems

Module: 6.03 Quality of Life Type: Question

Column: 239-240 SAS Variable Name: HLTHPRB2

Prologue:

Description: What is your major impairment or health problem?

-				
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Arthritis/rheumatism	117	14.87	10.88
2	Back or neck problem	136	17.28	19.23
3	Fractures, bone/joint injury	78	9.91	10.06
4	Walking problem	35	4.45	3.18
5	Lung/breathing problem	48	6.10	7.35
6	Hearing problem	5	0.64	0.68
7	Eye/vision problem	13	1.65	2.48
8	Heart problem	75	9.53	5.90
9	Stroke problem	12	1.52	2.20
10	Hypertension/high blood pressure	7	0.89	0.82
11	Diabetes	19	2.41	2.25
12	Cancer	16	2.03	1.86
13	Depression/anxiety/emotional problem	22	2.80	5.19
14	Other impairment/problem	171	21.73	23.55
77	Do not know/Not sure	22	2.80	2.22
99	Refused	11	1.40	2.14
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02. USEEQUIP, is coded 2, 7, 9, or Missing	2,440		

Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing

Activities Limited for How Long

Module: 6.04 Quality of Life Type: Question

Column: 241-243 SAS Variable Name: LONGLMT2

Prologue:

Description: For how long have your activities been limited because of your major impairment or health

problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days Notes: 1 Days	9	1.14	1.07
201 - 299	Weeks Notes: 2 Weeks	11	1.40	2.24
301 - 399	Months Notes: 3 Months	89	11.31	12.42
401 - 499	Years Notes: 4 Years	629	79.92	77.49
777	Do not know/Not sure	44	5.59	6.41
999	Refused	5	0.64	0.38
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing	2,440		

Help with Personal Care

Module: 6.05 Quality of Life Type: Question

Column: 244 SAS Variable Name: QLPERSN2

Prologue:

Description: Because of any impairment or health problem, do you need the help of other persons with your

personal care needs, such as eating, bathing, dressing, or getting around the house?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	64	8.13	8.19
2	No	720	91.49	91.60
7	Do not know/Not sure	1	0.13	0.10
9	Refused	2	0.25	0.11
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing	2,440		

Help with Routine Needs

Module: 6.06 Quality of Life Type: Question

Column: 245 SAS Variable Name: QLROUTN2

Prologue:

Description: Because of any impairment or health problem, do you need the help of other persons in handling

your routine needs, such as everyday household chores, doing necessary business, shopping, or

getting around for other purposes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	183	23.25	22.30
2	No	595	75.60	76.95
7	Do not know/Not sure	6	0.76	0.42
9	Refused	3	0.38	0.33
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing	2,440		

Pain During Last 30 Days

Module: 6.07 Quality of Life Type: Question

Column: 246-247 SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual

activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: Number of days	832	25.78	25.11
88	None	2,277	70.56	71.67
77	Do not know/Not sure	66	2.05	1.45
99	Refused	52	1.61	1.76

Depression During Last 30 Days

Module: 6.08 Quality of Life Type: Question

Column: 248-249 SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how may days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: Number of days	1,221	37.84	41.07
88	None	1,881	58.29	55.68
77	Do not know/Not sure	67	2.08	1.25
99	Refused	58	1.80	2.00

Anxiety During Last 30 Days

Module: 6.09 Quality of Life Type: Question

Column: 250-251 SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: Number of days	1,736	53.80	57.77
88	None	1,361	42.18	38.55
77	Do not know/Not sure	66	2.05	1.56
99	Refused	64	1.98	2.12

Rest During Last 30 Days

Module: 6.10 Quality of Life Type: Question

Column: 252-253 SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or

sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: Number of days	2,004	62.10	67.95
88	None	1,106	34.27	28.65
77	Do not know/Not sure	53	1.64	1.23
99	Refused	64	1.98	2.17

Health and Energy During Last 30 Days

Module: 6.11 Quality of Life Type: Question

Column: 254-255 SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: Number of days	2,661	82.46	83.58
88	None	387	11.99	11.34
77	Do not know/Not sure	108	3.35	2.68
99	Refused	71	2.20	2.40

How Long Since Last Routine Checkup

Module: 7.01 Health Care Coverage and Utilization Type: Question

Column: 256 SAS Variable Name: CHECKUP

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine

checkup is a general physical exam, not an exam for a specific injury, illness or condition.]

Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Reason for Lack of Health Coverage

Module: 7.02 Health Care Coverage and Utilization Type: Question

Column: 257-258 SAS Variable Name: RSNOCOV2

Prologue: Previously you said that you did not have any kind of health care coverage.

Description: What is the main reason you are without health care coverage?

Weighted Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 2.01, HLTHPLAN, is coded 1, 7, 9, or Missing

Length of Gap in Health Care Coverage

Module: 7.03 Health Care Coverage and Utilization Type: Question

Column: 259 SAS Variable Name: PSTPLAN2

Prologue:

Description: About how long has it been since you had health care coverage?

Weighted Value Value Label Percentage Frequency Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 2.01, HLTHPLAN, is coded 1, 7, 9, or Missing

Age at Asthma Diagnosis

Module: 8.01 Adult Asthma History Type: Question

Column: 260-261 SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had

asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you

had asthma?

Weighted Value Label Value Frequency Percentage Percentage

Not asked, Module not used, or Missing Notes: Section 5.01, ASTHMA2, is coded 2, 7, 9, or Missing BLANK 3.227

Asthma During Past 12 Months

Module: 8.02 Adult Asthma History Type: Question

Column: 262 SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing

Emergency Asthma Care During Past 12 Months

Module: 8.03 Adult Asthma History Type: Question

Column: 263-264 SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care

center because of your asthma?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing

Urgent Asthma Treatment During Past 12 Months

Module: 8.04 Adult Asthma History Type: Question

Column: 265-266 SAS Variable Name: ASDRVIST

Prologue:

Description: [If one or more visits to module Q8.3, fill in (Besides those emergency room visits,)] During the

past 12 months, how many times did you see a doctor, nurse or other health professional for

urgent treatment of worsening asthma symptoms?

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing

Routine Asthma Care During Past 12 Months

Module: 8.05 Adult Asthma History Type: Question

Column: 267-268 SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse or other health

professional for a routine checkup for your asthma?

Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227 Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing

Activities Limited Due to Asthma During Past 12 Months

Module: 8.06 Adult Asthma History Type: Question

Column: 269-271 SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual

activities because of your asthma?

Weighted Value Label Value Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing

Asthma Symptoms During Past 30 Days

Module: 8.07 Adult Asthma History Type: Question

Column: 272 SAS Variable Name: ASYMPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm

production when you don't have a cold or respiratory infection. During the past 30 days, how often

did you have any symptoms of asthma?

Weighted Value Label Value Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9 or Missing

Sleep Difficulty Due to Asthma During Past 30 Days

Module: 8.08 Adult Asthma History Type: Question

Column: 273 SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay

asleep?

Weighted

3,227

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing

Notes: Module 8.07, ASYMPTOM, is coded 8, or Missing

Asthma Medication During PAst 30 Days

Module: 8.09 Adult Asthma History Type: Question

Column: 274 SAS Variable Name: ASTHMEDS

Prologue:

Description: During the past 30 days how often did you take asthma medication that was prescribed or given to

you by a doctor? This includes using an inhaler.

Weighted Value Label Value Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing

Household Children with Asthma

Module: 9.01 Childhood Asthma Type: Question

Column: 275-276 SAS Variable Name: CASTHDX

Prologue:

Description: Earlier you said there were [fill in number from core Q12.6] children age 17 or younger living in

your household. How many of these children have ever been diagnosed with asthma?

Weighted Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 12.06, CHILDREN, is coded 88

Children Have Asthma Now

Module: 9.02 Childhood Asthma Type: Question

Column: 277-278 SAS Variable Name: CASTHNOW

Prologue:

Description: [Fill in (Does this child/How many of these children) from module Q9.1] still have asthma?

Weighted Value Value Label Frequency Percentage Percentage

Not asked, Module not used, or Missing Notes: Module 9.01, CASTHDX, is coded 77, 88, 99, or Missing BLANK 3,227

Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 10.01 Heart Attack and Stroke Type: Question

Column: 279 SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and

stroke. Which of the following do you think is a symptom of a heart attack? For each, tell me

yes, no, or you're not sure.

Description: Do you think pain or discomfort in the jaw, neck, or back are symptoms of a heart attack?

Weighted Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 10.02 Heart Attack and Stroke Type: Question

Column: 280 SAS Variable Name: HASYMP2

Proloque:

Description: Do you think feeling weak, lightheaded, or faint are symptoms of a heart attack?

Weighted Value Value Label Percentage Percentage Frequency

Heart Attack Symptoms - Chest Pain/Discomfort

Module: 10.03 Heart Attack and Stroke Type: Question

Column: 281 SAS Variable Name: HASYMP3

Prologue:

Description: [Do you think] chest pain or discomfort [are symptoms for a heart attack]?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Heart Attack Symptoms - Vision Problems

Module: 10.04 Heart Attack and Stroke Type: Question

Column: 282 SAS Variable Name: HASYMP4

Prologue:

Description: [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a heart attack]?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 10.05 Heart Attack and Stroke Type: Question

Column: 283 SAS Variable Name: HASYMP5

Prologue:

Description: [Do you think] pain or discomfort in the arms or shoulder [are symptoms of a heart attack]?

Value Value Label Frequency Percentage Percentage

Heart Attack Symptoms - Shortness of Breath

Module: 10.06 Heart Attack and Stroke Type: Question

Column: 284 SAS Variable Name: HASYMP6

Prologue:

Description: [Do you think] shortness of breath [is a symptom of a heart attack]?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Stroke Symptoms - Confusion/Trouble speaking

Module: 10.07 Heart Attack and Stroke Type: Question

Column: 285 SAS Variable Name: STRSYMP1

Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me yes, no, or you're

not sure.

Description: Do you think sudden confusion or trouble speaking are symptoms of a stroke?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

Module: 10.08 Heart Attack and Stroke Type: Question

Column: 286 SAS Variable Name: STRSYMP2

Prologue:

Description: Do you think sudden numbness or weakness of face, arm, or leg, especially on one side are

symptoms of a stroke?

Value Value Label Frequency Percentage Percentage

Stroke Symptoms - Vision Problems

Module: 10.09 Heart Attack and Stroke Type: Question

Column: 287 SAS Variable Name: STRSYMP3

Prologue:

Description: [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a stroke]?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Stroke Symptoms - Chest Pain/Discomfort

Module: 10.10 Heart Attack and Stroke Type: Question

Column: 288 SAS Variable Name: STRSYMP4

Prologue:

Description: [Do you think] sudden chest pain or discomfort [are symptoms of a stroke]?

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

Module: 10.11 Heart Attack and Stroke Type: Question

Column: 289 SAS Variable Name: STRSYMP5

Prologue:

Description: [Do you think] sudden trouble walking, dizziness, or loss of balance [are symptoms of a stroke]?

Value Value Label Frequency Percentage Percentage

Stroke Symptoms - Severe Headache

Module: 10.12 Heart Attack and Stroke Type: Question

Column: 290 SAS Variable Name: STRSYMP6

Prologue:

Description: [Do you think] severe headache with no known cause [is a symptom of a stroke]?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

First Aid for Heart Attack and Stroke

Module: 10.13 Heart Attack and Stroke Type: Question

Column: 291 SAS Variable Name: FIRSTAID

Prologue:

Value

Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

Weighted
Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Are You Eating Fewer Fat/Cholesterol Foods

Module: 11.01 Cardiovascular Disease Type: Question

Column: 292 SAS Variable Name: CVDFAT02

Prologue: To lower your risk of developing heart disease or stroke, are you...

Description: Eating fewer high fat or high cholesterol foods?

Value Value Label Weighted

Frequency Percentage Percentage

Eating More Fruits and Vegetables

Module: 11.02 Cardiovascular Disease Type: Question

Column: 293 SAS Variable Name: CVDFVG01

Prologue:

Description: [To lower your risk of developing heart disease or stroke are you...] Eating more fruits and

vegetables?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

More Physically Active

Module: 11.03 Cardiovascular Disease Type: Question

Column: 294 SAS Variable Name: CVDEXR03

Prologue:

Description: [To lower your risk of developing heart disease or stroke are you...] More physically active?

Value Value Label Weighted Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Health Advice on Fat/Cholesterol During Past 12 Months

Module: 11.04 Cardiovascular Disease Type: Question

Column: 295 SAS Variable Name: CVDFATR2

Prologue: Within the past 12 months, has a doctor, nurse, or other health professional told you to...

Description: Eat fewer high fat or high cholesterol foods?

Value Value Label Frequency Percentage Percentage

Eat More Fruits and Vegetables

Module: 11.05 Cardiovascular Disease Type: Question

Column: 296 SAS Variable Name: CVDFVEG

Prologue:

Description: [Within the past 12 months, has a doctor, nurse, or other health professional told you to...] Eat

more fruits and vegetables?

Weighted

Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

More Physically Active

Module: 11.06 Cardiovascular Disease Type: Question

Column: 297 SAS Variable Name: CVDEXRS2

Prologue:

Description: [Within the past 12 months, has a doctor, nurse, or other health professional told you to...] Be

more physically active?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Ever Diagnosed with Heart Attack

Module: 11.07 Cardiovascular Disease Type: Question

Column: 298 SAS Variable Name: CVDINFR2

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following?

Description: A heart attack, also called a myocardial infraction.

Value Value Label Weighted

Frequency Percentage Percentage

Angina or coronary heart disease

Module: 11.08 Cardiovascular Disease Type: Question

Column: 299 SAS Variable Name: CVDCRHD2

Prologue:

Value

Description: [Has a doctor, nurse or other health professional ever told you that you had any of the following...]

Angina or coronary heart disease.

Weighted Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Ever Diagnosed with a Stroke

Module: 11.09 Cardiovascular Disease Type: Question

Column: 300 SAS Variable Name: CVDSTRK2

Prologue:

Description: [Has a doctor, nurse or other health professional ever told you that you had any of the following...]

A stroke.

Value Label

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Age at Heart Attack

Module: 11.10 Cardiovascular Disease Type: Question

Column: 301-302 SAS Variable Name: HATTKAGE

Prologue:

Description: At what age did you have your first heart attack?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 11.07, CVDINFR2, is coded 2, 7, 9, or Missing

Age at Stroke

Module: 11.11 Cardiovascular Disease Type: Question

Column: 303-304 SAS Variable Name: STROKAGE

Prologue:

Description: At what age did you have your first stroke?

Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 11.09, CVDSTRK2, is coded 2, 7, 9, or Missing

Rehabilitation After Cardiovascular Illness

Module: 11.12 Cardiovascular Disease Type: Question

Column: 305 SAS Variable Name: CVDREHAB

Prologue:

Description: After you left the hospital following your [fill in (heart attack) if "Yes" to M11.7 or to M11.7 and

M11.9; fill in (stroke) if "Yes" to M11.9 and "No" to M11.7], did you go to any kind of outpatient

rehabilitation? This is sometimes called "rehab."

Weighted Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 11.07, CVDINFR2, is coded 2, 7, 9, or Missing and Module 11.09, CVDSTRK2, is coded 2, 7, 9, or Missing

Take Aspirin Daily or Every Other Day

Module: 11.13 Cardiovascular Disease Type: Question

Column: 306 SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Weighted Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 12.01, AGE, is less than 35

Health Makes Taking Aspirin Unsafe

Module: 11.14 Cardiovascular Disease Type: Question

Column: 307 SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes,"

ask "Is this a stomach condition?")

Weighted Frequency Percentage Percentage

 Value
 Value Label
 Frequency
 Percent

 BLANK
 Not asked, Module not used, or Missing
 3,227

BLANK Not asked, Module not used, or Missing
Notes: Module 11.13, CVDASPRN, is coded 1 or Missing

Take Aspirin to Relieve Pain

Module: 11.15 Cardiovascular Disease Type: Question

Column: 308 SAS Variable Name: WHYASPAN

Prologue:

Description: Why do you take aspirin...to relieve pain?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 11.13, CVDASPRN, is coded 2, 7, 9, or Missing

Take Aspirin to Reduce Heart Attack

Module: 11.16 Cardiovascular Disease Type: Question

Column: 309 SAS Variable Name: WHYASPHA

Prologue:

Description: [Why do you take aspirin]...to reduce the chance of a heart attack?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 11.13, CVDASPRN, is coded 2, 7, 9, or Missing

Take Aspirin to Reduce Stroke

Module: 11.17 Cardiovascular Disease Type: Question

Column: 310 SAS Variable Name: WHYASPSK

Prologue:

Description: [Why do you take aspirin]...to reduce the chance of a stroke?

Weighted Value Value Label Frequency Percentage Percentage

BLANK 3,227

Not asked, Module not used, or Missing Notes: Module 11.13, CVDASPRN, is coded 2, 7, 9, or Missing

Trying to Lose Weight

Module: 12.01 Weight Control Type: Question

Column: 311 SAS Variable Name: LOSEWT

Prologue:

Description: Are you now trying to lose weight?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Module 12.03 FEWCAL	1,349	41.80	41.75
2	No	1,789	55.44	55.42
7	Do not know/Not sure	6	0.19	0.08
9	Refused	83	2.57	2.76

Trying to Maintain Current Weight

Module: 12.02 Weight Control Type: Question

Column: 312 **SAS Variable Name: MAINTAIN**

Prologue:

Description: Are you now trying to maintain you current weight, that is to keep from gaining weight?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,038	55.27	55.49
2	No - Go to Module 12.06 DRADVICE	736	39.19	39.00
7	Do not know/Not sure - Go to Module 12.06 DRADVICE	18	0.96	0.60
9	Refused - Go to Module 12.06 DRADVICE	86	4.58	4.90
BLANK	Not asked, Module not used, or Missing Notes: Module 12.01, LOSEWT, is coded 1	1,349		

Eating Fewer Calories or Less Fat for Weight Control

Module: 12.03 Weight Control Type: Question

Column: 313 SAS Variable Name: FEWCAL

Prologue:

Description: Are you eating either fewer calories or less fat to...lose weight [if "Yes" on module Q12.1]...keep

from gaining weight [if "Yes" on module Q12.2]? (Probe for which.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, fewer calories	363	15.21	15.22
2	Yes, less fat	523	21.91	21.72
3	Yes, fewer calories and less fat	878	36.78	35.48
4	No	586	24.55	26.45
7	Do not know/Not sure	35	1.47	1.01
9	Refused	2	0.08	0.12
BLANK	Not asked, Module not used, or Missing Notes: Module 12.01, FEWCAL, is coded 2, 7, 9, or Missing AND Module 12.02, MAINTAIN, is coded 2, 7, 9, or Missing	840		

Increased Physical Activity

Module: 12.04 Weight Control Type: Question

Column: 314 SAS Variable Name: PHYACT

Prologue:

Description: Are you using physical activity or exercise to...lose weight [if "Yes" on module Q12.1]...keep from

gaining weight [if "Yes" on module Q12.2]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,521	63.72	65.34
2	No	857	35.90	33.94
7	Do not know/Not sure	6	0.25	0.49
9	Refused	3	0.13	0.23
BLANK	Not asked, Module not used, or Missing Notes: Module 12.02, MAINTAIN, is coded 2, 7, 9, or Missing	840		

Desired Weight

Module: 12.05 Weight Control Type: Question

Column: 315-317 SAS Variable Name: WTDESIRE

Prologue:

Description: How much would you like to weigh?

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 776	Weight pounds Notes: = Weight pounds	2,272	95.18	94.96
777	Do not know/Not sure	80	3.35	3.35
999	Refused	35	1.47	1.69
BLANK	Not asked, Module not used, or Missing Notes: Module 12.02, MAINTAIN, is coded 2, 7, 9, or Missing	840		

Professional Advice About Weight

Module: 12.06 Weight Control Type: Question

Column: 318 SAS Variable Name: DRADVICE

Prologue:

Description: In the past 12 months, has a doctor, nurse or other health professional given you advice about

your weight? (Probe for which.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, lose weight	389	12.05	12.94
2	Yes, gain weight	50	1.55	1.56
3	Yes, maintain current weight	54	1.67	1.52
4	No	2,632	81.56	80.45
7	Do not know/Not sure	8	0.25	0.25
9	Refused	94	2.91	3.28

Current Vitamin User

Module: 13.01 Folic Acid Type: Question

Column: 319 SAS Variable Name: VITAMINS

Prologue:

Description: Do you currently take any vitamin pills or supplements? (Include liquid supplements.)

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Multivitamin User

Module: 13.02 Folic Acid Type: Question

Column: 320 SAS Variable Name: MULTIVIT

Prologue:

Description: Are any of these a multivitamin?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 13.01, VITAMINS, is coded 2, 7, 9, or Missing

Vitamins with Folic Acid

Module: 13.03 Folic Acid Type: Question

Column: 321 SAS Variable Name: FOLICACD

Prologue:

Description: Do any of the vitamin pills or supplements you take contain folic acid?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 13.02 MULTIVIT is coded 1 or Missing

Time frequency vitamin use

Module: 13.04 Folic Acid Type: Question

Column: 322 SAS Variable Name: TAKEVIT

Prologue:

Description: How often do you take this vitamin pill or supplement?

Weighted Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 13.03, FOLICACD, is coded 2, 7, 9, or Missing

Reason to take Folic Acid

Module: 13.05 Folic Acid Type: Question

Column: 325 SAS Variable Name: RECOMMEN

Prologue:

Description: Some health experts recommend that women take 400 micrograms of the B vitamin folic acid, for

which one of the following reasons...?

Weighted Value Label Value Frequency Percentage Percentage

Not asked, Module not used, or Missing 3,227 BLANK Notes: Section 12.01, AGE, is greater than 44

Age When First Smoked

Module: 14.01 Tobacco Indicators Type: Question

Column: 326-327 SAS Variable Name: FIRSTSMK

Prologue: Previously you said you have smoked cigarettes.

Description: How old were you the first time you smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Age in years Notes: Code age in years	1,527	96.40	95.69
77	Do not know/Not sure	29	1.83	2.17
99	Refused	28	1.77	2.13
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, SMOKE100, is coded 2, 7, 9, or Missing	1,643		

Age Became Regular Smoker

Module: 14.02 Tobacco Indicators Type: Question

Column: 328-329 SAS Variable Name: REGSMK

Prologue:

Description: How old were you when you first started smoking cigarettes regularly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Age in years Notes: Code age in years	1,430	90.28	89.00
88	Never smoked regularly - Go to Module 14.06 HOUSESMK	82	5.18	6.32
77	Do not know/Not sure	38	2.40	2.31
99	Refused	34	2.15	2.36
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, SMOKE100, is coded 2, 7, 9, or Missing	1,643		

Interval Since Last Smoked

Module: 14.03 Tobacco Indicators Type: Question

Column: 330-331 SAS Variable Name: LASTSMK

Prologue:

Description: About how long has it been since you last smoked cigarettes regularly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (< 1 month ago) - Go to Module 14.04 $\tt GETCARE$	19	2.23	2.47
2	Within the past 3 months (1 month but < 3 months ago) - Go to Module 14.04 GETCARE	13	1.53	2.03
3	Within the past 6 months (3 months but < 6 months) - Go to Module 14.04 GETCARE	15	1.76	2.21
4	Within the past year (6 months but < 1 year ago) - Go to Module $14.04\ \mbox{GETCARE}$	30	3.53	4.30
5	Within the past 5 years (1 year but < 5 years ago) - Go to Module 14.06 HOUSESMK	141	16.57	17.72
6	Within the past 10 years (5 years but < 10 years ago) - Go to Module 14.06 HOUSESMK	78	9.17	11.14
7	10 or more years - Go to Module 14.06 HOUSESMK	529	62.16	57.34
77	Do not know/Not sure - Go to Module 14.06 HOUSESMK	2	0.24	0.09
99	Refused - Go to Module 14.06 HOUSESMK	24	2.82	2.70
BLANK	Not asked, Module not used, or Missing Notes: Section 9.02, SMOKEDAY, is coded 1, 2, 9, or Missing	2,376		

Health Care in Past 12 Months

Module: 14.04 Tobacco Indicators Type: Question

Column: 332 SAS Variable Name: GETCARE

Prologue:

Description: In the past 12 months, have you seen a doctor, nurse or other health professional to get any kind

of care for yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	430	59.07	54.58
2	No - Go to Module 14.06 HOUSESMK	278	38.19	40.81
7	Do not know/Not sure - Go to Module 14.06 HOUSESMK	2	0.27	1.38
9	Refused - Go to Module 14.06 HOUSESMK	18	2.47	3.23
BLANK	Not asked, Module not used, or Missing Notes: Section 9.02, SMOKEDAY, is coded 3, 9 or Missing; and Module 14.03, LASTSMK, coded 5, 6, 7, 77, 99, or Missing	2,499		

Health Professional Ever Advised To Quit Smoking

Module: 14.05 Tobacco Indicators Type: Question

Column: 333 SAS Variable Name: QUITSMOK

Prologue:

Description: In the past 12 months, has a doctor, nurse or other health professional advised you to quit

smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	287	66.74	67.33
2	No	142	33.02	32.33
7	Do not know/Not sure	1	0.23	0.34
BLANK	Not asked, Module not used, or Missing Notes: Module 14.04. GETCARE, is coded 2. 7. 9. or Missing	2,797		

Smoking Policy at Home

Module: 14.06 Tobacco Indicators Type: Question

Column: 334 SAS Variable Name: HOUSESMK

Prologue:

Description: Which statement best describes the rules about smoking inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed anywhere inside your home	2,391	74.09	76.37
2	Allowed in some places or at some times	202	6.26	5.41
3	Allowed anywhere inside the home	66	2.05	2.35
4	No rules about smoking inside the home	466	14.44	12.39
7	Do not know/Not sure	10	0.31	0.26
9	Refused	92	2.85	3.21

Indoor work location

Module: 14.07 Tobacco Indicators Type: Question

Column: 335 SAS Variable Name: INDOORS

Prologue:

Description: While working at your job, are you indoors most of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,268	75.88	73.85
2	No - Go to Module 15.01 USEEVER2	310	18.55	20.61
7	Do not know/Not sure - Go to Module 15.01 USEEVER2	32	1.92	1.74
9	Refused - Go to Module 15.01 USEEVER2	61	3.65	3.80
BLANK	Not asked, Module not used, or Missing Notes: Section 12.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing	1,556		

Work Smoking Policy for Indoor Common Areas

Module: 14.08 Tobacco Indicators Type: Question

Column: 336 SAS Variable Name: SMKPUBLC

Prologue:

Description: Which of the following best describes your place of work's official smoking policy for indoor public

or common areas, such as lobbies, rest rooms, and lunch rooms? (For workers who visit

clients, "place of work" means their base location.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any public areas	983	77.52	77.19
2	Allowed in some public areas	154	12.15	13.73
3	Allowed in all public areas	17	1.34	1.45
4	No official policy	90	7.10	5.66
7	Do not know/Not sure	20	1.58	1.77
9	Refused	4	0.32	0.20
BLANK	Not asked, Module not used, or Missing Notes: Module 14.07, INDOORS, is coded 2, 7, or 9	1,959		

Smoking Policy for Work Areas

Module: 14.09 Tobacco Indicators Type: Question

Column: 337 SAS Variable Name: SMKWORK

Prologue:

Description: Which of the following best describes your place of work's official smoking policy for work areas?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any work areas	1,060	83.60	85.16
2	Allowed in some work areas	110	8.68	7.59
3	Allowed in all work areas	13	1.03	1.71
4	No official policy	67	5.28	4.40
7	Do not know/Not sure	12	0.95	0.87
9	Refused	6	0.47	0.27
BLANK	Not asked, Module not used, or Missing Notes: Module 14.07, INDOORS, is coded 2, 7 or 9	1,959		

Ever Used Smokeless Tobacco Products

Module: 15.01 Other Tobacco Products

Type: Question

Column: 338 SAS Variable Name: USEEVER2

Prologue:

Description: Have you ever used or tried any smokeless tobacco products such as chewing tobacco or snuff?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	416	12.89	15.60
2	No - Go to Module 15.03 CIGAR2	2,711	84.01	81.03
9	Refused - Go to Module 15.03 CIGAR2	100	3.10	3.37

Use of Smokeless Tobacco Products

Module: 15.02 Other Tobacco Products Type: Question

Column: 339 SAS Variable Name: USENOW2

Prologue:

Description: Do you currently use chewing tobacco or snuff every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	34	8.17	7.74
2	Some days	21	5.05	6.19
3	Not at all	361	86.78	86.07
BLANK	Not asked, Module not used, or Missing Notes: Module 15.01, USEEVER2, is coded 2, 7, 9, or Missing	2,811		

Past Cigar Use

Module: 15.03 Other Tobacco Products Type: Question

Column: 340 SAS Variable Name: CIGAR2

Prologue:

Description: Have you ever smoked a cigar, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,304	40.41	43.95
2	No - Go to Module 15.05 PIPESMK	1,816	56.28	52.54
7	Do not know/Not sure - Go to Module 15.05 PIPESMK	8	0.25	0.16
9	Refused - Go to Module 15 05 DIDESMK	99	3 07	3 35

Current Cigar Use

Module: 15.04 Other Tobacco Products Type: Question

Column: 341 SAS Variable Name: CIGARNOW

Prologue:

Description: Do you now smoke cigars every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	10	0.77	1.38
2	Some days	129	9.89	12.52
3	Not at all	1,162	89.11	85.95
7	Do not know/Not sure	3	0.23	0.15
BLANK	Not asked, Module not used, or Missing Notes: Module 15.03, CIGAR2, is coded 2, 7, 9, or Missing	1,923		

Past Pipe Use

Module: 15.05 Other Tobacco Products

Type: Question

Column: 342 SAS Variable Name: PIPESMK

Prologue:

Description: Have you ever smoked tobacco in a pipe, even one or two puffs?

Value	Value Label	Frequency	Percentage	Percentage
1	Yes	720	22.31	21.50
2	No - Go to Module 15.07 BIDISMK	2,398	74.31	74.92
7	Do not know/Not sure - Go to Module 15.07 BIDISMK	9	0.28	0.22
9	Refused - Go to Module 15.07 BIDISMK	100	3.10	3.36

Current Pipe Use

Module: 15.06 Other Tobacco Products

Type: Question

Column: 343 SAS Variable Name: PIPENOW

Prologue:

Description: Do you now smoke a pipe every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	12	1.67	1.13
2	Some days	24	3.33	3.78
3	Not at all	682	94.72	95.00
7	Do not know/Not sure	2	0.28	0.09
BLANK	Not asked, Module not used, or Missing Notes: Module 15.05, PIPESMK, is coded 2, 7, 9, or Missing	2,507		

Past Bidi Use

Module: 15.07 Other Tobacco Products Type: Question

Column: 344 SAS Variable Name: BIDISMK

Prologue: A bidi is a flavored cigarette from India.

Description: Have you ever smoked a bidi, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	138	4.28	5.84
2	No - Go to Module 16.01 PAIN30DY	2,969	92.00	90.11
7	Do not know/Not sure - Go to Module 16.01 PAIN30DY	19	0.59	0.68
9	Refused - Go to Module 16.01 PAIN30DY	101	3.13	3.37

Current Bidi Use

Module: 15.08 Other Tobacco Products Type: Question

Column: 345 SAS Variable Name: BIDINOW

Prologue:

Description: Do you now smoke bidis every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	2	1.45	0.85
2	Some days	11	7.97	12.93
3	Not at all	124	89.86	85.74
7	Do not know/Not sure	1	0.72	0.49
BLANK	Not asked, Module not used, or Missing Notes: Module 15.07, BIDISMK, is coded 2, 7, 9, or Missing	3,089		

Had Pain, Aching, Stiffness, Swelling

Module: 16.01 Arthritis Type: Question

Column: 346 SAS Variable Name: PAIN30DY

Prologue: The next questions refer to your joints. Please do not include the back or neck.

Description: During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a

joint?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,616	50.08	46.92
2	No - Go to Module 16.04 JOINTRT	1,491	46.20	49.31
7	Do not know/Not sure - Go to Module 16.04 JOINTRT	6	0.19	0.11
9	Refused - Go to Module 16.04 JOINTRT	114	3.53	3.66

.....

Joint Symptoms Three Months Old

Module: 16.02 Arthritis Type: Question

Column: 347 SAS Variable Name: JOINTSYM

Prologue:

Description: Did your joint symptoms first begin more than 3 months ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,353	83.73	80.07
2	No	248	15.35	19.16
7	Do not know/Not sure	15	0.93	0.77
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, is coded 2, 7, 9, or Missing	1,611		

Treated For Joint Symptoms

Module: 16.03 Arthritis Type: Question

Column: 348 SAS Variable Name: JOINTRT2

Prologue:

Description: Have you ever seen a doctor or other health professional for these joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,036	64.11	62.56
2	No	578	35.77	37.39
7	Do not know/Not Sure	1	0.06	0.03
9	Refused	1	0.06	0.01
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, is coded 2, 7, 9, or Missing	1,611		

Told Have Arthritis

Module: 16.04 Arthritis Type: Question

Column: 349 SAS Variable Name: HAVARTH2

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have some form of

arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include:

rheumatism, polymyalgia rheumatica; osteoarthritis (not osteporosis); tendonitis, bursitis, bunion,

tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc. (See

Questionnaire for Complete List))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,022	31.67	26.60
2	No	2,079	64.43	69.35
7	Do not know/Not Sure	11	0.34	0.33
9	Refused	115	3.56	3.72

Limited Because of Joint Symptoms

Module: 16.05 Arthritis Type: Question

Column: 350 SAS Variable Name: LMTJOIN2

Prologue:

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint

symptoms? (Note: If a respondent question arises about medication, then the interviewer should

reply: "Please answer the question based on how you are when you are taking any of the

medications or treatments you might use.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	488	26.78	25.30
2	No	1,323	72.61	74.31
7	Do not know/Not sure	11	0.60	0.38
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, and Module 16.04, ARTHRIT2, are coded 2, 7, 9, or Missing	1,405		

Does Arthritis Affect Whether You Work

Module: 16.06 Arthritis Type: Question

Column: 351 SAS Variable Name: ARTHDISB

Prologue:

Description: In this next question we are referring to work for pay. Do arthritis or joint symptoms now affect

whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	268	21.81	22.12
2	No	943	76.73	76.89
7	Do not know/Not sure	13	1.06	0.83
9	Refused	5	0.41	0.16
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, and Module 16.04, ARTHRIT2, are coded 2, 7, 9, or Missing; or Section 12.01, AGE, is less than 18 or greater than 64	1,998		

State Added Questions

State: 1.01 StateQuestions Type: Miscellaneous

Column: 352-601 SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

ValueValue LabelFrequencyPercentageWeighted PercentageUNUSEDSuppressed3,227100.00100.00

Sept. 11: Know Victim(s)

Module: 17.01 Effects of September 11th Attacks

Type: Question

Column: 711 SAS Variable Name: ATKVICT

Prologue: Next we would like to ask you about the September 11th attacks on the United States. Being a

victim of the attack includes witnessing, being injured, killed, or having a home or workplace disrupted or damaged. We want you to think only about people that you know personally including family members, friends, coworkers, acquaintances, or members of your community.

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Description: Were you or anyone you know a victim of the attacks?

Sept. 11: Victim(s)

Module: 17.02 Effects of September 11th Attacks

Type: Question

Column: 712-725 SAS Variable Name: ATKVID

Prologue:

Description: Who were the victims of the attacks?

Value Value Label Weighted Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Sept. 11: Services Attended

Module: 17.03 Effects of September 11th Attacks

Type: Question

Column: 726 SAS Variable Name: ATKSVCS

Prologue:

Description: Did you attend or participate in any memorial or religious services related to the attacks?

Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Sept. 11: Employed

Module: 17.04 Effects of September 11th Attacks

Type: Question

Column: 727 SAS Variable Name: ATKEMPL

Prologue:

Description: Were you employed at the time of the attacks?

Value Value Label Weighted

Frequency Percentage Percentage

Sept. 11: Missed Work

Module: 17.05 Effects of September 11th Attacks

Type: Question

Column: 728 SAS Variable Name: ATKNOWRK

Prologue:

Description: Did you miss work for any reason because of the attacks?

Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227 Notes: Module 17.04, ATKEMPL, is coded 2, 7, 9, or Missing

Sept. 11: Reason Missed Work

Module: 17.06 Effects of September 11th Attacks

Type: Question

Column: 729 SAS Variable Name: ATKRSWRK

Prologue:

Description: What was the major reason you missed work?

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 17.05, ATKNOWRK, is coded 2, 7, 9, or Missing

Sept. 11: Days Work Missed

Module: 17.07 Effects of September 11th Attacks

Type: Question

Column: 730-731 SAS Variable Name: ATKDYWRK

Prologue:

Description: How many days did you miss work?

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 17.05, ATKNOWRK, is coded 2, 7, 9, or Missing

Sept. 11: Evacuate

Module: 17.08 Effects of September 11th Attacks

Type: Question

Column: 732 SAS Variable Name: ATKEVAC

Prologue:

Description: Did you have to evacuate or were you told to leave work the day of the attacks?

Weighted
Value Value Label Frequency Percentage Percentage

....,,

BLANK Not asked, Module not used, or Missing 3,227 Notes: Module 17.04, ATKEMPL, is coded 2, 7, 9, or Missing

Sept. 11: TV or Internet

Module: 17.09 Effects of September 11th Attacks

Type: Question

Column: 733 SAS Variable Name: ATKMEDIA

Prologue:

Description: During the days immediately following the attacks, would you say you watched television or

followed internet coverage...?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Sept. 11: Experienced Problems

Module: 17.10 Effects of September 11th Attacks

Type: Question

Column: 734-749 SAS Variable Name: ATKPRB

Prologue:

Description: Have you experienced any of the following feelings or problems, because of the attacks...?

(Check all that apply.)

Value Value Label Frequency Percentage Percentage

Sept. 11: Got Help

Module: 17.11 Effects of September 11th Attacks

Type: Question

Column: 750 SAS Variable Name: ATKHELP

Prologue:

Description: Did you get help with problems you have experienced since the attacks?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Module not used or Missing 3,227

Sept. 11: Got Help From

Module: 17.12 Effects of September 11th Attacks

Type: Question

Column: 751-772 SAS Variable Name: ATKAID

Prologue:

Description: From whom have you gotten help?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Module 17.11, ATKHELP, is coded 88

Sept. 11: Drink More Alcohol

Module: 17.13 Effects of September 11th Attacks

Type: Question

Column: 773 SAS Variable Name: ATKDRNK

Prologue:

Description: Did you have more alcoholic beverages to drink than usual in the 30 days after the attacks?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 10.01, ALCDAY3, is coded 888, 999, or Missing

Sept. 11: Smoke More

Module: 17.14 Effects of September 11th Attacks

Type: Question

Column: 774 SAS Variable Name: ATKSMOK

Prologue:

Description: Did you smoke more cigarettes than usual in the 30 days after the attacks?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 9.02, SMOKEDAY, is coded 3, 9 or Missing

Sept. 11: Started Smoking

Module: 17.15 Effects of September 11th Attacks

Type: Question

Column: 775 SAS Variable Name: ATKNSMOK

Prologue:

Description: Did you start smoking cigarettes after the attacks?

Value Value Label Frequency Percentage Percentage

BLANK Not asked, Module not used, or Missing 3,227

Notes: Section 9.02, SMOKEDAY, is coded 1, 2, or Missing

Sept. 11: At Site(s)

Module: 17.16 Effects of September 11th Attacks

Type: Question

Column: 776 SAS Variable Name: ATKSITE

Prologue:

Description: Were you in New York City or Washington, D.C. the day of the attacks?

Value Value Label Weighted Frequency Percentage Percentage

Sample Design Stratification Variable

Weighting: 1.01 Weighting And Stratification Variables

Type: Stratify

Column: 777-781 SAS Variable Name: _STSTR

Prologue:

Description:

Value Value Label Weighted
Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Stratum weight

Weighting: 1.02 Weighting And Stratification Variables

Type: Stratify

Column: 782-791 SAS Variable Name: STRWT

Prologue:

Description:

Weighted Value Value Label Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Raw weighting factor

Weighting: 1.03 Weighting And Stratification Variables

Type: Stratify

Column: 792-801 SAS Variable Name: _RAW

Prologue:

Description:

Value Value Label Weighted Frequency Percentage Percentage

UNUSED Suppressed 3,227 100.00 100.00

Notes: Floating Decimal Point

Design weight. The product of the preceding four factors

Weighting: 1.04 Weighting And Stratification Variables Type: Stratify

Column: 802-811 SAS Variable Name: _WT2

Prologue:

Description:

Weighted Value Value Label Frequency Percentage Percentage UNUSED Suppressed 3,227 100.00 100.00

Post-stratification weight (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.05 Weighting And Stratification Variables Type: Stratify

Column: 812-821 SAS Variable Name: POSTSTR

Prologue:

Description:

Weighted Value Label Value Frequency Percentage Percentage

3,227 100.00 UNUSED Suppressed 100.00 Notes: Floating Decimal Point

Final weight: Post-stratification weight multiplied by _WT2

Weighting: 1.06 Weighting And Stratification Variables Type: Stratify

Column: 822-831 SAS Variable Name: _FINALWT

Prologue:

Description: Final weight assigned to each respondent

Weighted Value Value Label Frequency Percentage Percentage 100.00

100.00

UNUSED Suppressed 3,227

Notes: Floating Decimal Point

Region

Weighting: 1.07 Weighting And Stratification Variables

Type: Stratify

Column: 832-833 SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		869	26.93	59.92
2		731	22.65	16.64
3		563	17.45	4.91
4		534	16.55	8.18
5		530	16.42	10.35

Age group codes used in post-stratification.

Weighting: 1.08 Weighting And Stratification Variables

Type: Stratify

Column: 834-835 SAS Variable Name: _AGEG_

Prologue:

Description: Age groups used in post-stratification

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24 Notes: 18 LE AGE LE 24	253	7.84	13.85
2	Age 25 to 34	419	12.98	19.09
3	Age 35 to 44	553	17.14	19.72
4	Age 45 to 54	600	18.59	17.25
5	Age 55 to 64	544	16.86	12.54
6	Age 65 or older	858	26.59	17.55

Gender group codes used in post-stratification.

Weighting: 1.10 Weighting And Stratification Variables

Type: Stratify

Column: 836 SAS Variable Name: _SEXG_

Prologue:

Description: Gender categories used in post-stratification

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	1,285	39.82	49.28
2	Female	1,942	60.18	50.72

Race group codes used in post-stratification.

Weighting: 1.11 Weighting And Stratification Variables

Type: Stratify

Column: 837 SAS Variable Name: _RACEG3_

Prologue:

Description: Post-stratification race group codes used in weighting

ValueValue LabelFrequencyPercentageWeighted Percentage0Any race and ethnicity3,227100.00100.00

Age value used to determine age groups

Weighting: 1.12 Weighting And Stratification Variables

Type: Stratify

Column: 838-839 SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification

Value	Value Label	Frequency	Percentage	Percentage
18 - 24	Age 18 to 24	253	7.84	13.85
25 - 34	Age 25 to 34	419	12.98	19.09
35 - 44	Age 35 to 44	553	17.14	19.72
45 - 54	Age 45 to 54	600	18.59	17.25
55 - 64	Age 55 to 64	544	16.86	12.54
65 - 99	Age 65 or older	858	26.59	17.55

\A/a:a.la4a.al

Imputed number of phones

Weighting: 1.13 Weighting And Stratification Variables

Type: Stratify

Column: 840 SAS Variable Name: _IMPNPH

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		2,981	92.38	94.78
2		228	7.07	4.97
3		13	0.40	0.23
4		3	0.09	0.02
5		2	0.06	0.01

Metropolitan Statistical Area Code.

Weighting: 1.14 Weighting And Stratification Variables

Type: Stratify

Column: 841-844 SAS Variable Name: _MSACODE

Prologue:

Description: FIPS Metropolitan Statistical Area Code

ValueValue LabelFrequencyPercentageWeighted PercentageUNUSEDSuppressed3,227100.00100.00

Leisure Time Physical Activity

CalculatedVar 3.01 Calculated Variables Type: Calculated

iables:

Column: 845 SAS Variable Name: _TOTINDA

Prologue:

Description: No leisure time physical activity or exercise druing the past 30 days other than the respondent's

regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	<pre>Had physical activity or exercise Notes: EXERANY2 = 1</pre>	2,466	76.42	77.36
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	759	23.52	22.62
9	Do not know/Refused/Missing Notes: EXERANY2 = 7 OR 9 OR \.'	2	0.06	0.02

Fruit Juice Servings per day

CalculatedVar 4.01 Calculated Variables Type: Calculated

iables:

Column: 846-848 SAS Variable Name: FTJUDAY_

Prologue:

Description: Fruit juice servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Servings per day	3,197	99.07	99.30
140		1	0.03	0.02
990	Do not Know/Not Sure Or Refused/Missing	29	0.90	0.68

Fruit Servings per day

CalculatedVar 4.02 Calculated Variables Type: Calculated

iables:

Column: 849-851 SAS Variable Name: FRUTDAY_

Prologue:

Description: Fruit servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Servings per day	3,198	99.10	98.92
990	Do not Know/Not Sure Or Refused/Missing	29	0.90	1.08

Green Salad Servings per day

CalculatedVar 4.03 Calculated Variables Type: Calculated

iables:

Column: 852-854 SAS Variable Name: GNSLDAY_

Prologue:

Description: Green salad servings per day

Value	Value Label	Frequency	Percentage	Percentage
0 - 989	Servings per day	3,203	99.26	99.64
990	Do not Know/Not Sure Or Refused/Missing	24	0.74	0.36

ام مغطیت امار

Potato Servings per day

CalculatedVar 4.04 Calculated Variables Type: Calculated

iables:

Column: 855-857 SAS Variable Name: POTADAY_

Prologue:

Description: Potato servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Servings per day	3,206	99.35	99.30
990	Do not Know/Not Sure Or Refused/Missing	21	0.65	0.70

Carrot Servings per day

CalculatedVar 4.05 Calculated Variables Type: Calculated

iables:

Column: 858-860 SAS Variable Name: CRTSDAY_

Prologue:

Description: Carrot servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Servings per day	3,185	98.70	99.11
990	Do not Know/Not Sure Or Refused/Missing	42	1 30	0.89

Vegetable Servings per day

Calculated Variables Type: Calculated

iables:

Column: 861-863 SAS Variable Name: VEGEDAY_

Prologue:

Description: Vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Servings per day	3,180	98.54	98.65
100		2	0.06	0.02
120		1	0.03	0.10
990	Do not Know/Not Sure Or Refused/Missing	44	1.36	1.23

M/-!-----

Total number of servings of fruits and vegetables consumed per day

Calculated Variables Type: Calculated

iables:

Column: 864-868 SAS Variable Name: _FRTSERV

Prologue:

Description: Fruit and vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of servings per day Notes: (_FRTSERV < 99999) (2 implied decimal places)	3,226	99.97	99.97
99999	Do not know/Refused/Missing Notes: (_FRTSERV = 99999)	1	0.03	0.03

Summary index for fruits and vegetables

CalculatedVar 4.08 Calculated Variables Type: Calculated

iables:

Column: 869 SAS Variable Name: _FRTINDX

Prologue:

Description: Fruit and vegetable servings index

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once per day or never Notes: (_FRTSERV < 1)	130	4.03	5.63
2	Once but less than 3 times per day Notes: (1 LE _FRTSERV LT 3)	1,022	31.67	33.83
3	3 but less than 5 times per day Notes: (3 LE _FRTSERV LT 5)	1,226	37.99	37.88
4	5 or more times per day Notes: (_FRTSERV GE 5)	848	26.28	22.64
9	Do not know/Refused/Missing Notes: (_FRTSERV = 9999)	1	0.03	0.03

Risk Factor for Lifetime Asthma Prevalence

CalculatedVar 5.01 Calculated Variables Type: Calculated

iables:

Column: 870 SAS Variable Name: _LTASTHM

Prologue:

Description: Risk factor for lifetime asthma prevalence

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk Notes: ASTHMA2=2	2,798	86.71	86.01
2	At Risk Notes: ASTHMA2=1	425	13.17	13.87
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2=(.,7,9	4	0.12	0.12

Risk Factor for Current Asthma Prevalence

Calculated Variables Type: Calculated

iables:

Column: 871 SAS Variable Name: _CASTHMA

Prologue:

Description: Risk factor for current asthma prevalence

Value	Value Label	Frequency	Percentage	Percentage
1	Not At Risk Notes: ASTHMA2=2 OR ASTHMA2=1 AND ASTHNOW=2	2,944	91.23	90.78
2	At Risk Notes: ASTHMA2=1 AND ASTHNOW=1	273	8.46	8.97
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2=(7,9) OR ASTHNOW=(7,9)	10	0.31	0.25

Weighted

Computed Asthma Status

Calculated Variables Type: Calculated

iables:

Column: 872 SAS Variable Name: _ASTHMST

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2=1 AND ASTHNOW=1	273	8.46	8.97
2	Former Notes: ASTHMA2=1 AND ASTHNOW=2	146	4.52	4.77
3	Never Notes: ASTHMA2=2	2,798	86.71	86.01
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2=(7,9) OR ASTHNOW=(7,9)	10	0.31	0.25

Risk Factor for having had permanent teeth extracted

Calculated Variables Type: Calculated

iables:

Column: 873 SAS Variable Name: _EXTEETH

Prologue:

Description: Risk factor for having had permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: RMVTEETH=8	1,542	47.78	55.18
2	At risk Notes: RMVTEETH=(1,2,3)	1,629	50.48	43.68
9	Do not Know/Not Sure Or Refused/Missing Notes: RMVTEETH=(7,9)	56	1.74	1.14

Risk Factor for respondents aged 65 or older that have had all permanent teeth extracted

Calculated Variables Type: Calculated

iables:

Column: 874 SAS Variable Name: _ALTEETH

Prologue:

Description: Risk Factor for respondents aged 65 or older that have had all permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE >= 65 AND RMVTEETH= (1,2,8)	670	76.40	76.05
2	At risk Notes: AGE >= 65 AND RMVTEETH=3	154	17.56	18.34
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR RMVTEETH=(7,9)	53	6.04	5.60
BLANK	Missing or Age Less Than 65 Notes: AGE<65	2,350		

Risk Factor for having visited a dentist, dental hygenist or dental clinic

CalculatedVar 7.03 Calculated Variables Type: Calculated

iables:

Column: 875 SAS Variable Name: _DENTVST

Prologue:

Description: Risk factor for having visited a dentist, dental hygienist or dental clinic within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: LASTDEN2=1 OR DENCLEAN=1	2,229	69.07	69.43
2	At risk Notes: LASTDEN2=8 OR LASTDEN2=(2,3,4) AND DENCLEAN=(.,2,3,4,7,8,9)	985	30.52	30.42
9	Do not Know/Not Sure Or Refused/Missing Notes: LASTDEN2=(7,9) AND DENCLEAN=(.,7,9)	13	0.40	0.16

Risk factor for respondents aged 65+ that had a flu shot in the past 12 months.

Calculated Variables Type: Calculated

iables:

Column: 876 SAS Variable Name: _FLUSHOT

Prologue:

Description: Risk factor for respondents aged 65 or older that have had a flu shot within the past 12 months

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE>=65 AND FLUSHOT=1	583	66.48	67.79
2	At risk Notes: AGE>=65 AND FLUSHOT=2	270	30.79	29.41
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR FLUSHOT=(7,9)	24	2.74	2.80
BLANK	Missing or Age Less Than 65 Notes: AGE<65	2,350		

Risk factor for respondents aged 65+ that have ever had a pneumonia shot.

Calculated Variables Type: Calculated

iables:

Column: 877 SAS Variable Name: _PNEUMOC

Prologue:

Description: Risk factor for respondents aged 65 or older that have ever had a pneumonia shot

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE>=65 AND PNEUVAC2=1	547	62.37	65.33
2	At risk Notes: AGE>=65 AND PNEUVAC2=2	289	32.95	30.77
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR PNEUVAC2=(7,9)	41	4.68	3.90
BLANK	Missing or Age Less Than 65 Notes: AGE<65	2,350		

Computed smoking status (2)

Calculated Variables Type: Calculated

iables:

Column: 878 SAS Variable Name: _SMOKER2

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: (SMOKE100 = 1) AND (SMOKEDAY = 1)	523	16.21	17.76
2	Current smoker - now smokes some days Notes: (SMOKE100 = 1) AND (SMOKEDAY = 2)	139	4.31	5.61
3	Former smoker Notes: (SMOKE100 = 1) AND (SMOKEDAY = 3)	922	28.57	24.41
4	Never smoked Notes: (SMOKE100 = 2)	1,639	50.79	52.10
9	Do not know/Refused/Missing Notes: (SMOKE100 = 1) AND ((SMOKEDAY = 9) OR (SMOKE100 = (. OR 7 OR 9))	4	0.12	0.12

At risk for smoking (2) (all current smokers)

CalculatedVar 9.02 Calculated Variables Type: Calculated

iables:

Column: 879 SAS Variable Name: _RFSMOK2

Prologue:

Description: Current smoking status risk factor: Smoked at least 100 cigarettes in their lifetime and may or

may not currently smoke)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk (former or non-smoker) Notes: (_SMOKER2 = (3 OR 4))	2,561	79.36	76.51
2	At risk (current smoker) Notes: (_SMOKER2 = (1 OR 2))	662	20.51	23.37
9	Do not know/Refused/Missing Notes: (_SMOKER2 = 9)	4	0.12	0.12

Drink-occasions-per-day

CalculatedVar 10.01 Calculated Variables Type: Calculated

iables:

Column: 880-882 SAS Variable Name: DROCCDY_

Prologue:

Description: Drink-occassions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day	1,357	42.05	39.26
1 - 899	Drink-Occasions per day	1,853	57.42	60.31
900	Do not Know/Not Sure Or Refused/Missing	17	0.53	0.43

Drink any alcoholic beverages in past 30 days

CalculatedVar 10.02 Calculated Variables Type: Calculated

iables:

Column: 883 SAS Variable Name: DRNKANY3

Prologue:

Description: Risk factor for respondents having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,853	57.42	60.31
2	No	1,357	42.05	39.26
7	Do not know/Not Sure	16	0.50	0.41
9	Refused/Missing	1	0.03	0.02

At risk for binge drinking (greater than or equal to 5 drinks or more consumed on one or more occasion)

CalculatedVar 10.03 Calculated Variables Type: Calculated

iables:

Column: 884 SAS Variable Name: _RFBING2

Prologue:

Description: Risk factor for binge drinking where binge drinking is defined as having 5 or more drinks on 1

occasion

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk for Binge Drinking Notes: (ALCDAYS<300 AND DRNK2GE5=0) or ALCDAYS=888	2,790	86.46	81.94
2	At risk for Binge Drinking Notes: ((ALCDAYS<300 AND DRNK2GE5>1)	397	12.30	16.72
9	Do not know/Refused/Missing Notes: (DRNK2GE5 IN (7,9,'.') OR ALCDAYS IN (777, 999, '.'))	40	1.24	1.33

Number of Drinks of alcohol beverages per day

CalculatedVar 10.04 Calculated Variables Type: Calculated

iables:

Column: 885-888 SAS Variable Name: _DRNKDY2

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAYS = 888	1,357	42.05	39.26
1 - 9899	Number of drinks per day Notes: (=(ALCDAYS/7 per week OR ALCDAYS/30 per month) * AVEDRNK [2 implied decimal places]) (also =_DRNKMO2/30)	1,831	56.74	59.30
9900	Do not know/Not sure/Refused/Missing	39	1.21	1.45

Total number drinks a month

CalculatedVar 10.05 Calculated Variables Type: Calculated

iables:

Column: 889-892 SAS Variable Name: _DRNKMO2

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: (drnkany2 = (888))	1,357	42.05	39.26
1 - 9998	Number of Drinks Notes: (_DRNKDY2 * 30)	1,831	56.74	59.30
9999	Do not know/Refused/Missing Notes: (drnkany2 = (777,999,.))	39	1.21	1.45

At risk for heavy alcohol consumption (greater than two drinks per day for men and greater than one drink per day for women)

CalculatedVar 10.06 Calculated Variables Type: Calculated

iables:

Column: 893 SAS Variable Name: _RFDRHV2

Prologue:

Description: Risk factor for heavy drinking (Note: Heavy drinking is defined as having greater than 2 drinks per

day for men, and 1 drink per day for women)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk for heavy drinking Notes: ((SEX = 1) AND (DRNKDY2 <= 200)) OR ((SEX = 2) AND (_DRNKDY2 <=100)) OR (ALCDAYS = 888)	2,963	91.82	89.98
2	At risk for heavy drinking Notes: ((SEX = 1) AND (DRNKDY2 > 200)) OR ((SEX = 2) AND (_DRNKDY2>100))	225	6.97	8.57
9	Do not know/Refused/Missing Notes: _DRNKDY2 = '.'	39	1.21	1.45

At risk for heavy alcohol consumption in men (greater than two drinks per day)

CalculatedVar 10.07 Calculated Variables Type: Calculated

iables:

Column: 894 SAS Variable Name: _RFDRMN2

Prologue:

Description: Risk factor for heavy drinking among men (Note: Heavy drinking is defined as having an average

of more than 2 drkinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Men not at risk for heavy drinking	1,161	90.35	88.20
2	Men at risk for heavy drinking	102	7.94	9.72
9	Do not know/Refused/Missing	22	1.71	2.07
BLANK	Respondent is female	1,942		

At risk for heavy alcohol consumption in women (greater than one drink per day)

CalculatedVar 10.08 Calculated Variables Type: Calculated

iables:

Column: 895 SAS Variable Name: _RFDRWM2

Prologue:

Description: Risk factor for heavy drinking among women (Note: Heavy drinking is defined as having an

average of more than 1 drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Women not at risk for heavy drinking	1,802	92.79	91.71
2	Women at risk for heavy drinking	123	6.33	7.46
9	Do not know/Refused/Missing	17	0.88	0.84
BLANK	Respondent is male	1,285		

Drinking and driving risk factor.

CalculatedVar 10.09 Calculated Variables Type: Calculated

iables:

Column: 896 SAS Variable Name: _RFDRDR2

Prologue:

Description: Risk factor for drinking and driving. (Drank alcohol in the past 30 days and have driven when

they've had perhaps too much to drink.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk	3,150	97.61	97.34
2	At Risk	56	1.74	2.11
9	Do not Know/Not Sure Or Refused/Missing	21	0.65	0.55

Always/Nearly Always wear seatbelt risk factor.

CalculatedVar 11.01 Calculated Variables Type: Calculated

iables:

Column: 897 SAS Variable Name: _RFSEAT2

Prologue:

Description: Risk factor for always or nearly always seatbelt use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEATBELT=(1,2,8)	2,894	89.68	88.77
2	At Risk Notes: SEATBELT=(3,4,5)	329	10.20	11.19
9	Do not Know/Not Sure Or Refused/Missing Notes: SEATBELT=(7,9)	4	0.12	0.04

Always wear seatbelt risk factor.

CalculatedVar 11.02 Calculated Variables Type: Calculated

iables:

Column: 898 SAS Variable Name: _RFSEAT4

Prologue:

Description: Risk factor for always seatbelt use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEATBELT=(1,8)	2,582	80.01	80.46
2	At Risk Notes: SEATBELT=(2,3,4,5)	641	19.86	19.50
9	Do not Know/Not Sure Or Refused/Missing Notes: SEATBELT=(7,9	4	0.12	0.04

MRACE with trailing 7,8,9's removed

Calculated Var 12.01 Calculated Race Variables

Type: Calculated

iables:

Column: 899-904 SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9's removed

ValueValue LabelFrequencyPercentageWeighted PercentageUNUSEDSuppressed3,227100.00100.00

MRACEORG with responses in ascending order

CalculatedVar 12.02 Calculated Race Variables Type: Calculated

iables:

Column: 905-910 SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9's removed, in ascending order

ValueValue LabelFrequencyPercentageWeighted PercentageUNUSEDSuppressed3,227100.00100.00

Preferred Race

CalculatedVar 12.03 Calculated Race Variables Type: Calculated

iables:

Column: 911-912 SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	2,716	84.16	80.94
2	Black or African American	56	1.74	3.20
3	Asian	31	0.96	1.35
4	Native Hawaiian or other Pacific Islander	18	0.56	0.75
5	American Indian or Alaskan Native	143	4.43	3.24
6	Other race	217	6.72	8.30
7	No preferred race	5	0.15	0.40
77	Do not know/Not sure	22	0.68	1.09
99	Refused	19	0.59	0.73

Non-Hispanic Race including Multiracial

CalculatedVar 12.04 Calculated Race Variables Type: Calculated

iables:

Column: 913-914 SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only	2,689	83.33	79.97
2	Black or African American only	51	1.58	2.99
3	Asian Only	31	0.96	1.35
4	Native Hawaiian or other Pacific Islander only	17	0.53	0.74
5	American Indian or Alaskan Native only	136	4.21	2.82
6	Other race only	214	6.63	8.19
7	Multiracial	48	1.49	2.11
77	Do not know/Not sure	22	0.68	1.09
99	Refused	19	0.59	0.73

Race-Ethnicity grouping

CalculatedVar 12.05 Calculated Race Variables

iables:

Column: 915 SAS Variable Name: RACE2

Type: Calculated

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 1)	2,533	78.49	75.32
2	Black only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 2)	51	1.58	2.99
3	Asian only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 3)	31	0.96	1.35
4	Native Hawaiian or other Pacific Islander only, No Notes: (HISPANC2 = 2) AND (_MRACE = 4)	15	0.46	0.72
5	American Indian or Alaskan Native only, Non-Hispan Notes: (HISPANC2 = 2) AND (_MRACE = 5)	118	3.66	2.40
6	Other race only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 6)	12	0.37	0.24
7	Multiracial, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 7)	40	1.24	1.79
8	Hispanic Notes: (HISPANC2 = 1)	401	12.43	14.27
9	Do not know/Not sure/Refused component question Notes: (HISPANC2 IN (7,9) OR (MRACE IN (77, 99) AND HISPANC2 = 2)	26	0.81	0.92

Non-Hispanic Whites/All Others race categories Race/ethnic group codes used in post-stratification.

CalculatedVar 12.06 Calculated Race Variables Type: Calculated

iables:

Column: 916 SAS Variable Name: _RACEG2

Prologue:

Description: White/Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White	2,533	78.49	75.32
2	Non-White or Hispanic	668	20.70	23.76
9	Do not know/Not sure/Refused Missing component question	26	0.81	0.92

5 level race/ethnicity category.

CalculatedVar 12.07 Calculated Race Variables Type: Calculated

iables:

Column: 917 SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic	2,533	78.49	75.32
2	Black only, Non-Hispanic	51	1.58	2.99
3	Other race only, Non-Hispanic	176	5.45	4.71
4	Multiracial, Non-Hispanic	40	1.24	1.79
5	Hispanic	401	12.43	14.27
9	Do not know/Not sure/Refused component question	26	0.81	0.92

Number of Census Race Categories Chosen

CalculatedVar 12.08 Calculated Race Variables Type: Calculated

iables:

Column: 918 SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused	255	7.90	10.01
1	1 category chosen	2,931	90.83	88.23
2	2 category chosen	40	1.24	1.75
3	3 category chosen	1	0.03	0.02

Number of Census Race Categories Chosen, Collapsed

CalculatedVar 12.09 Calculated Race Variables Type: Calculated

iables:

Column: 919 SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen	2,931	98.62	98.04
2	Two or more categories chosen	41	1.38	1.96
BLANK	CNRACE was coded Other/do not know/refused	255		

Reported age in five-year age categories.

CalculatedVar 12.10 Calculated Variables Type: Calculated

iables:

Column: 920-921 SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24 Notes: 18 LE AGE LE 24	253	7.84	13.85
2	Age 25 to 29 Notes: 25 LE AGE LE 29	198	6.14	10.31
3	Age 30 to 34 Notes: 30 LE AGE LE 34	221	6.85	8.78
4	Age 35 to 39 Notes: 35 LE AGE LE 39	258	8.00	9.51
5	Age 40 to 44 Notes: 40 LE AGE LE 44	290	8.99	10.15
6	Age 45 to 49 Notes: 45 LE AGE LE 49	284	8.80	8.00
7	Age 50 to 54 Notes: 50 LE AGE LE 54	307	9.51	9.00
8	Age 55 to 59 Notes: 55 LE AGE LE 59	261	8.09	6.42
9	Age 60 to 64 Notes: 60 LE AGE LE 64	278	8.61	6.04
10	Age 65 to 69 Notes: 65 LE AGE LE 69	238	7.38	4.95
11	Age 70 to 74 Notes: 70 LE AGE LE 74	246	7.62	5.35
12	Age 75 to 79 Notes: 75 LE AGE LE 79	192	5.95	3.60
13	Age 80 or older Notes: 80 LE AGE LE 99	182	5.64	3.66
14	Do not know/Refused/Missing Notes: 7 LE AGE LE 9	19	0.59	0.38

Reported age in two age groups

CalculatedVar 12.11 Calculated Variables Type: Calculated

iables:

Column: 922 SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 LE AGE LE 64	2,350	72.82	82.07
2	Age 65 or older Notes: 65 LE AGE LE 99	858	26.59	17.55
3	Do not know/Refused/Missing Notes: 7 LE AGE LE 9	19	0.59	0.38

Height in Inches

Calculated Variables Type: Calculated

iables:

Column: 923-924 SAS Variable Name: HTIN

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 98	<pre>Height in inches Notes: (INPUT((substr(HEIGHT1,2,2)),2.)) + ((INPUT((substr(HEIGHT1,1,1)),1.)) * 12)</pre>	3,184	98.67	98.39
99	Do not know/Refused/Missing	43	1.33	1.61

Height in Meters

CalculatedVar 12.13 Calculated Variables Type: Calculated

iables:

Column: 925-927 SAS Variable Name: HTM

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	<pre>Height in meters [2 implied decimal places] Notes: (HTIN*2.54)/100</pre>	3,184	98.67	98.39
999	Do not know/Refused/Missing Notes: HIEGHT = (777 or 999)	43	1.33	1.61

Weight in Kilograms

CalculatedVar 12.14 Calculated Variables Type: Calculated

iables:

Column: 928-932 SAS Variable Name: WTKG

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: WEIGHT/2.2	3,137	97.21	97.17
99999	Do not know/Refused/Missing Notes: WEIGHT = (777 or 999)	90	2.79	2.83

Body mass index

CalculatedVar 12.15 Calculated Variables Type: Calculated

iables:

Column: 933-936 SAS Variable Name: _BMI2

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	<pre>1 or greater Notes: WTKG/(HTM*HTM) [2 implied decimal places]</pre>	3,112	96.44	96.23
9999	Do not know/Refused/Missing Notes: WTKG = (777 OR 999) OR HTM = (777 OR 999)	115	3.56	3.77

_BMI2 Categorized

CalculatedVar 12.16 Calculated Variables Type: Calculated

iables:

Column: 937 SAS Variable Name: _BMI2CAT

Prologue:

Description: Three-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese (BMI2 < 2500) Notes: Notes: _BMI2 has 2 implied decimal places	1,418	43.94	42.10
2	Overweight (2500 <= _BMI2 < 3000)	1,111	34.43	35.24
3	Obese (3000 <= _BMI2 < 9999)	583	18.07	18.88
9	Do not know/Refused/Missing (_BMI2 = 9999)	115	3.56	3.77

Risk Factor for being overweight or obese

CalculatedVar 12.17 Calculated Variables Type: Calculated

iables:

Column: 938 SAS Variable Name: _RFBMI2

Prologue:

Description: Risk factor for overweight or obese

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk For Overweight Or Obese (BMI2 < 2500) Notes: Notes: _BMI2 has two implied decimal places	1,418	43.94	42.10
2	At Risk For Overweight Or Obese (2500 <= _BMI2 < 9999)	1,694	52.49	54.13
9	Do not know/Refused/Missing (BMI2 = 9999)	115	3.56	3.77

Use of birth control categories.

CalculatedVar 13.01 Calculated Variables Type: Calculated

iables:

Column: 939 SAS Variable Name: BRCNTRL_

Prologue:

Description: Use of birth control categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Use Birth Control	139	32.10	25.84
2	No Birth Control	150	34.64	41.22
3	Want Pregnancy	41	9.47	13.99
4	Not Active/No Partner/Same Sex Partner	45	10.39	9.15
9	Do not Know/Not Sure/Refused	58	13.39	9.79
BLANK	Pregnant Now/Missing	2,794		

Male birth control method categories.

CalculatedVar 13.02 Calculated Variables Type: Calculated

iables:

Column: 940 SAS Variable Name: BCMETML_

Prologue:

Description: Male birth control method categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Surgical	166	19.95	16.23
2	Contraception	201	24.16	28.93
3	Not Active/No Partner	3	0.36	0.41
9	Do not Know/Not Sure/Refused	462	55.53	54.44
BLANK	Partner Pregnant Now/Missing	2,395		

Female birth control method categories.

CalculatedVar 13.03 Calculated Variables Type: Calculated

iables:

Column: 941 SAS Variable Name: BCMETFM_

Prologue:

Description: Female birth control method categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Surgical	153	22.60	20.05
2	Contraception	245	36.19	36.09
3	Not Active/No Partner	8	1.18	1.32
9	Do not Know/Not Sure/Refused	271	40.03	42.54
BLANK	Pregnant Now/Missing	2,550		

Females use of contraceptives to prevent unintended pregnancy risk factor.

CalculatedVar 13.04 Calculated Variables Type: Calculated

iables:

Column: 942 SAS Variable Name: _FCNTRAC

Prologue:

Description: Risk factor for the use of contraceptives among females to prevent unintended pregnancy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=2 AND 18 <= AGE <= 44 AND PREGNANT>=1 AND BRTHCNT2=1 AND BCMETHD_=(1,2)	398	57.85	55.98
2	At Risk Notes: SEX=2 AND 18 <= AGE <= 44 AND PREGNANT>=1 AND IF BRTHCNT2=2 AND BRCNTRL_=2	40	5.81	7.48
9	Do not Know/Not Sure/Refused Notes: BRTHCNT2=(7,9) OR BRCNTRL =9 OR BCMETHD =9 OR AGE=(7,9) OR SEX=(7,9) OR PREGNANT=(7,9)	250	36.34	36.53
BLANK	Pregnant Now/Missing Notes: BRTHCNT2=. OR BCMETHD =. OR SEX=2 AND AGE GT 44 OR SEX=2 AND 18 <= AGE <= 44 AND PREGNANT=1 OR SEX=1 OR SEX=. OR AGE=.	2,539		

Males use of contraceptives to prevent unintended pregnancy risk factor.

CalculatedVar 13.05 Calculated Variables Type: Calculated

iables:

Column: 943 SAS Variable Name: _MCNTRAC

Prologue:

Description: Risk factor for the use of contraceptives among males to prevent unintended pregnancy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=1 AND 18 <= AGE <= 59 AND BRTHCNT2=1 AND BCMETHD_=(1,2)	367	43.28	44.90
2	At Risk Notes: SEX=1 AND (18 <= AGE <= 59)) AND IF BRTHCNT2=2 AND BRCNTRL_=2 THEN _CONTRAC=2;	110	12.97	14.94
9	Do not Know/Not Sure/Refused Notes: BRTHCNT2=(7,9) OR BRCNTRL =9 OR BCMETHD =9 OR AGE=(7,9) OR SEX=(7,9)	371	43.75	40.16
BLANK	Partner Pregnant Now/Missing Notes: BRTHCNT2=. OR BCMETHD =. OR SEX=2 OR SEX=1 AND AGE>59 OR SEX=. OR AGE=.	2,379		

Women aged 40 and older that have not had a mammogram within the past two years.

CalculatedVar 14.01 Calculated Variables Type: Calculated

iables:

Column: 944 SAS Variable Name: _RFMAM2Y

Prologue:

Description: Female respondents aged 40 and older that have not had a mammogram within the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=(1 OR 2)	1,003	72.58	77.05
2	At Risk Notes: (SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=(3 OR 4 OR 5)) OR (SEX=2 AND AGE >= 40 AND HADMAM=2)	352	25.47	21.60
9	Do not Know/Not Sure/Refused Notes: (SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=(7 OR 9)) OR (SEX=2 AND AGE >= 40 AND HADMAM=7 OR 9) OR (AGE=. OR 7 OR 9)	27	1.95	1.35
BLANK	Missing or Age less than 40 or Male Notes: (SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=.) OR (SEX=2 AND AGE >= 40 AND HADMAM=.) OR (AGE < 40) OR SEX=1	1,845		

Women aged 18 and older that have not had a mammogram within the past three years.

CalculatedVar 14.02 Calculated Variables Type: Calculated

iables:

Column: 945 SAS Variable Name: _RFPAP3Y

Prologue:

Description: Female respondents aged 18 and older, with intact cervix, that have not had a pap smear within

the past three years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=1 OR 2 OR 3	1,111	83.85	87.09
2	At Risk Notes: (SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=4 OR 5) OR (SEX=2 AND AGE >= 40 AND HADPAP=2)	186	14.04	10.95
9	Do not Know/Not Sure/Refused Notes: (SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=7 OR 9) OR (SEX=2 AND AGE >= 40 AND HADPAP=7 OR 9) OR (SEX=2 AND AGE=. OR 7 OR 9)	28	2.11	1.95
BLANK	Missing or Male Notes: (SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=.) OR (SEX=2 AND AGE >= 40 AND HADPAP=.) OR (SEX=1)	1,902		

Men aged 40 and older that have not had a PSA test within the past two years.

CalculatedVar 15.01 Calculated Variables Type: Calculated

iables:

Column: 946 SAS Variable Name: _RFPSA2Y

Prologue:

Description: Male respondents aged 40 and older that have not had a Prostate-Specific Antigen test within the

past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=1 OR 2	494	53.99	51.17
2	At Risk Notes: (SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=3 OR 4 OR 5) OR (SEX=2 AND AGE >= 40 AND PSATEST=2)	369	40.33	43.68
9	Do not Know/Not Sure/Refused Notes: (SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=7 OR 9) OR (SEX=2 AND AGE >= 40 AND PSATEST=7 OR 9) OR (AGE=. OR 7 OR 9)	52	5.68	5.14
BLANK	Missing or Age less than 40 or Female Notes: (SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=.) OR (SEX=2 AND AGE >= 40 AND PSATEST=.) OR (AGE < 40) OR (SEX=2)	2,312		

Respondents aged 50 and older that have not had a blood stool test within the past two years.

CalculatedVar 16.01 Calculated Variables Type: Calculated

iables:

Column: 947 SAS Variable Name: _RFBLDST

Prologue:

Description: Respondents aged 50 and older that have not had a blood stool test withni the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: AGE >= 50 AND BLDSTOOL=1 AND LSTBLDS2=1 OR 2	564	32.73	34.67
2	At Risk Notes: (AGE >= 50 AND BLDSTOOL=1 AND LSTBLDS2=3 OR 4) OR (AGE >= 50 AND BLDSTOOL=2)	1,108	64.31	63.01
9	Do not Know/Not Sure/Refused Notes: (AGE >= 50 AND BLDSTOOL=1 AND LSTBLDS2=7 OR 9) OR (AGE >= 50 AND BLDSTOOL=7 OR 9) OR (AGE=. OR 7 OR 9)	51	2.96	2.32
BLANK	Missing or Age less than 50 Notes: (AGE $>=$ 50 AND BLDSTOOL=1 AND LSTBLDS2=.) OR (AGE $>=$ 50 AND BLDSTOOL=.) OR (AGE< 50)	1,504		

Respondents aged 50 and older that have never had a sigmoidoscopy or colonoscopy.

CalculatedVar 16.02 Calculated Variables Type: Calculated

iables:

Column: 948 SAS Variable Name: _RFSIGMD

Prologue:

Description: Respondents aged 50 and older that have not had a sigmoidoscopy or colonoscopy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: AGE >= 50 AND HADSIGM2=1	825	47.88	50.91
2	At Risk Notes: AGE >= 50 AND HADSIGM2=2	856	49.68	47.31
9	Do not Know/Not Sure/Refused Notes: (AGE >= 50 AND HADSIGM2=7 OR 9) OR (AGE=. OR 7 OR 9)	42	2.44	1.78
BLANK	Missing or Age less than 50 Notes: (AGE >= 50 AND HADSIGM2=.) OR (AGE< 50)	1,504		

Ever been tested for HIV risk factor.

CalculatedVar 17.01 Calculated Variables Type: Calculated

iables:

Column: 949 SAS Variable Name: _AIDSTST

Prologue:

Description: Respondents less than 65 years old that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND HIVTST3=1	1,016	42.89	44.82
2	At Risk Notes: 18 <= AGE <= 64 AND HIVTST3=2	1,239	52.30	50.63
9	Do not Know/Not Sure/Refused Notes: (AGE=. OR 7 OR 9) OR (18 <= AGE <= 64 AND HIVTST3=7 OR 9)	114	4.81	4.55
BLANK	Missing or Age greater than 64 Notes: AGE > 64 OR HIVTST3=.	858		

Ever participated in high-risk behavior risk factor.

CalculatedVar 17.02 Calculated Variables Type: Calculated

iables:

Column: 950 SAS Variable Name: _HIGHRSK

Prologue:

Description: Respondents less than 65 years old that have ever participated in high-risk behavior

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND HIVRISK2 = 2	2,230	94.13	92.99
2	At Risk Notes: 18 <= AGE <= 64 AND HIVRISK2 = 1	78	3.29	4.43
9	Do not Know/Not Sure/Refused Notes: (AGE=7 OR 9) OR (18 <= AGE <= 64 AND HIVRISK2 = 7 OR 9)	61	2.57	2.58
BLANK	Missing or Age greater than 64 Notes: (AGE > 64) OR (18 <= AGE <= 64 AND HIVRISK2 = .)	858		

Risk factor for having been counseled by a doctor, nurse, or other health professional within the past 12 months on prevention of sexually transmitted diseases through condom use.

CalculatedVar 17.03 Calculated Variables Type: Calculated

iables:

Column: 951 SAS Variable Name: _STDCNDM

Prologue:

Description: Risk factor for respondents less than 65 years old that have ever been counseled by a doctor,

nurse, or other health professional within the past 12 months on prevention of sexually

transmitted diseases though condomn use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND PCSAIDS2=1	263	11.10	14.06
2	At Risk Notes: 18 <= AGE <= 64 AND PCSAIDS2=2	2,045	86.32	83.41
9	Do not Know/Not Sure/Refused Notes: (18 <= AGE <= 64 AND PCSAIDS2=7 OR 9) OR (AGE=. OR 7 OR 9)	61	2.57	2.54
BLANK	Missing or Age greater than 64 Notes: (18 <= AGE <= 64 AND PCSAIDS2=.) OR (AGE>64)	858		

Risk factor for living in home with loaded firearm.

CalculatedVar 18.01 Calculated Variables Type: Calculated

iables:

Column: 952 SAS Variable Name: _RFFRARM

Prologue:

Description: Risk factor for living in home with loaded firearm

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: (FIREARM4=1 AND GUNLOAD=2) OR (FIREARM4=2)	2,693	83.45	83.83
2	At Risk Notes: FIREARM4=1 AND GUNLOAD=1	347	10.75	10.78
9	Do not Know/Not Sure/Refused Notes: (FIREARM4=1 AND GUNLOAD=7 OR 9) OR (FIREARM4=7 OR 9)	187	5.79	5.39

Risk factor for living in home with loaded & unlocked firearm.

CalculatedVar 18.02 Calculated Variables Type: Calculated

iables:

Column: 953 SAS Variable Name: _RFFRAR2

Prologue:

Description: Risk factor for living in home with loaded and unlocked firearm

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: (FIREARM4=1 AND GUNLOAD=1 AND LOADULK2=2) OR (FIREARM4=2)	2,801	86.80	87.38
2	At Risk Notes: FIREARM4=1 AND GUNLOAD=1 AND LOADULK2=1	238	7.38	7.15
9	Do not Know/Not Sure/Refused Notes: (FIREARM4=1 AND GUNLOAD=1 AND LOADULK2=7 OR 9) OR (FIREARM4=1 AND GUNLOAD=7 OR 9) OR (FIREARM4=7 OR 9)	188	5.83	5.47